



VC Series

Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.) lbs	kgs		No. of Pieces	
VC-054-10	.054	1.37	.09	2.39	.625	9.53	2	0.1	5000	1000	VC-054-10
VC-062-10	.062	1.57	.12	3.05	.625	9.53	2	0.9	5000	1000	VC-062-10
VC-072-10	.072	1.83	.13	3.35	.625	9.53	3	1.3	5000	1000	VC-072-10
VC-080-10	.080	2.03	.14	3.56	.625	9.53	2	0.9	5000	1000	VC-080-10
VC-093-12	.093	2.36	.15	3.81	.750	19.05	3	1.3	5000	1000	VC-093-12
VC-109-12	.109	2.77	.18	4.57	.750	19.05	3	1.3	5000	1000	VC-109-12
VC-125-8	.125	3.18	.20	5.08	.500	12.70	3	1.3	5000	1000	VC-125-8
VC-125-16	.125	3.18	.20	5.08	1.00	25.40	5	2.2	5000	1000	VC-125-16
VC-140-8	.140	3.56	.21	5.33	.500	12.70	4	1.8	5000	1000	VC-140-8
VC-140-16	.140	3.56	.21	5.33	1.00	25.40	7	3.1	5000	1000	VC-140-16
VC-156-8	.156	3.96	.24	6.10	.500	12.70	4	1.8	5000	1000	VC-156-8
VC-156-16	.156	3.96	.24	6.10	1.00	25.40	7	3.1	5000	1000	VC-156-16
VC-172-8	.172	4.37	.25	6.35	.500	12.70	5	2.2	5000	1000	VC-172-8
VC-172-16	.172	4.37	.25	6.35	1.00	25.40	8	3.6	5000	1000	VC-172-16
VC-187-8	.187	4.75	.27	6.86	.500	12.70	6	2.7	5000	1000	VC-187-8
VC-187-16	.187	4.75	.27	6.86	1.00	25.40	10	4.5	5000	1000	VC-187-16
VC-187-24	.187	4.75	.27	6.86	1.50	38.10	17	7.6	4000	800	VC-187-24
VC-203-8	.203	5.16	.29	7.37	.500	12.70	6	2.7	5000	1000	VC-203-8
VC-203-16	.203	5.16	.29	7.37	1.00	25.40	11	4.9	5000	1000	VC-203-16
VC-218-8	.218	5.54	.31	7.87	.500	12.70	7	3.1	5000	1000	VC-218-8
VC-218-16	.218	5.54	.31	7.87	1.00	25.40	13	5.8	5000	1000	VC-218-16
VC-234-8	.234	5.94	.32	8.13	.500	12.70	7	3.1	5000	1000	VC-234-8
VC-234-16	.234	5.94	.32	8.13	1.00	25.40	13	5.8	5000	1000	VC-234-16
VC-250-8	.250	6.35	.35	8.89	.500	12.70	7	3.1	5000	1000	VC-250-8
VC-250-16	.250	6.35	.35	8.89	1.00	25.40	13	5.8	5000	1000	VC-250-16
VC-281-8	.281	7.14	.38	9.65	.500	12.70	9	4.0	5000	1000	VC-281-8
VC-281-16	.281	7.14	.38	9.65	1.00	25.40	15	6.8	5000	1000	VC-281-16
VC-304-8	.304	7.72	.41	10.52	.500	12.70	12	5.4	5000	1000	VC-304-8
VC-304-16	.304	7.72	.41	10.52	1.00	25.40	16	7.2	4000	800	VC-304-16
VC-312-8	.312	7.93	.42	10.67	.500	12.70	11	4.9	5000	1000	VC-312-8
VC-312-16	.312	7.93	.42	10.67	1.00	25.40	17	7.6	5000	1000	VC-312-16
VC-312-24	.312	7.93	.41	10.41	1.50	38.10	14	6.3	2500	500	VC-312-24
VC-343-8	.343	8.71	.45	11.43	.500	12.70	12	5.4	5000	1000	VC-343-8
VC-343-16	.343	8.71	.45	11.43	1.00	25.40	11	4.9	2500	500	VC-343-16
VC-375-8	.375	9.53	.50	12.70	.500	12.70	16	7.2	5000	1000	VC-375-8
VC-375-16	.375	9.53	.50	12.70	1.00	25.40	14	6.3	2500	500	VC-375-16
VC-406-8	.406	10.31	.53	13.46	.500	12.70	16	7.2	5000	1000	VC-406-8
VC-406-16	.406	10.31	.53	13.46	1.00	25.40	14	6.3	2500	500	VC-406-16
VC-437-8	.437	11.10	.56	14.22	.500	12.70	17	7.6	5000	1000	VC-437-8
VC-437-16	.437	11.10	.56	14.22	1.00	25.40	15	6.8	2500	500	VC-437-16
VC-467-8	.467	11.86	.58	14.66	.500	12.70	16	7.2	5000	1000	VC-467-8
VC-467-16	.467	11.86	.58	14.66	1.00	25.40	15	6.8	2500	500	VC-467-16
VC-500-8	.500	12.70	.62	15.75	.500	12.70	17	7.6	5000	1000	VC-500-8
VC-500-16	.500	12.70	.62	15.75	1.00	25.40	15	6.8	2500	500	VC-500-16
VC-531-8	.531	13.49	.65	16.51	.500	12.70	18	8.1	5000	1000	VC-531-8
VC-531-16	.531	13.49	.65	16.51	1.00	25.40	16	7.2	2500	500	VC-531-16
VC-562-8	.562	14.28	.69	17.53	.500	12.70	10	4.5	2500	500	VC-562-8
VC-562-16	.562	14.28	.69	17.53	1.00	25.40	18	8.1	2500	500	VC-562-16
VC-625-8	.625	15.88	.76	19.30	.500	12.70	12	5.4	2500	500	VC-625-8
VC-625-16	.625	15.88	.76	19.30	1.00	25.40	20	9.0	2500	500	VC-625-16
VC-625-24	.625	15.88	.75	19.05	1.50	38.10	24	10.9	2000	400	VC-625-24
VC-687-8	.687	17.45	.82	20.83	.500	12.70	14	6.3	2500	500	VC-687-8
VC-687-16	.687	17.45	.82	20.83	1.00	25.40	10	4.5	1000	200	VC-687-16
VC-750-8	.750	19.05	.88	22.35	.500	12.70	16	7.2	2500	500	VC-750-8
VC-750-16	.750	19.05	.88	22.35	1.00	25.40	11	4.9	1000	200	VC-750-16
VC-812-8	.812	20.63	.94	23.88	.500	12.70	16	7.2	2500	500	VC-812-8
VC-812-16	.812	20.63	.94	23.88	1.00	25.40	11	4.9	1000	200	VC-812-16
VC-812-24	.812	20.63	.94	23.88	1.50	38.10	17	7.6	1000	200	VC-812-24
VC-875-8	.875	22.23	1.02	25.91	.500	12.70	17	7.6	2500	500	VC-875-8
VC-875-16	.875	22.23	1.02	25.91	1.00	25.40	12	5.4	1000	200	VC-875-16
VC-875-24	.875	22.23	1.01	25.66	1.50	38.10	19	8.6	1000	200	VC-875-24
VC-937-8	.937	23.80	1.08	27.43	.500	12.70	19	8.6	2500	500	VC-937-8

Lengths are available in 1/16" (1.6mm) increments. Length tolerance is ±1/16" (1.6mm).



CAPS Polaris Vinyl

VC Series Round Vinyl Caps (cont'd)

Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.) lbs	kgs		No. of Pieces	
VC-937-16	.937	23.80	1.08	27.43	1.000	25.40	13	5.8	1000	200	VC-937-16
VC-1000-8	1.000	25.40	1.14	28.96	.500	12.70	9	4.0	1000	200	VC-1000-8
VC-1000-16	1.000	25.40	1.14	28.96	1.000	25.40	14	6.3	1000	200	VC-1000-16
VC-1000-24	1.000	25.40	1.13	28.70	1.500	38.10	24	10.9	1000	200	VC-1000-24
VC-1062-16	1.062	26.97	1.21	30.73	1.000	25.40	19	8.6	1200	240	VC-1062-16
VC-1090-16	1.090	27.69	1.22	30.99	1.000	25.40	18	8.1	1200	240	VC-1090-16
VC-1125-16	1.125	28.57	1.28	32.51	1.000	25.40	20	9.0	1200	240	VC-1125-16
VC-1187-16	1.187	30.14	1.34	34.04	1.000	25.40	18	8.1	1000	200	VC-1187-16
VC-1250-16	1.250	31.75	1.40	35.56	1.000	25.40	19	8.6	1000	200	VC-1250-16
VC-1250-24	1.250	31.75	1.38	35.05	1.500	38.10	16	7.2	500	100	VC-1250-24
VC-1312-16	1.312	33.32	1.45	36.88	1.000	25.40	18	8.1	800	160	VC-1312-16
VC-1312-24	1.312	33.32	1.45	36.88	1.500	38.10	19	8.6	600	120	VC-1312-24
VC-1375-16	1.375	34.92	1.53	38.86	1.000	25.40	17	7.7	800	160	VC-1375-16
VC-1375-24	1.375	34.92	1.51	38.35	1.500	38.10	14	6.3	400	80	VC-1375-24
VC-1500-16	1.500	38.10	1.66	42.16	1.000	25.40	18	8.1	750	150	VC-1500-16
VC-1500-24	1.500	38.10	1.63	41.40	1.500	38.10	13	5.8	300	60	VC-1500-24
VC-1593-16	1.593	40.46	1.72	43.76	1.000	25.40	19	8.6	750	150	VC-1593-16
VC-1625-16	1.625	41.27	1.79	45.47	1.000	25.40	20	9.0	750	150	VC-1625-16
VC-1687-16	1.687	42.84	1.85	46.99	1.000	25.40	19	8.6	700	140	VC-1687-16
VC-1750-16	1.750	44.45	1.91	48.51	1.000	25.40	20	9.0	700	140	VC-1750-16
VC-1875-16	1.875	47.62	2.04	51.82	1.000	25.40	19	8.6	600	120	VC-1875-16
VC-2000-16	2.000	50.80	2.16	54.86	1.000	25.40	20	9.0	600	120	VC-2000-16
VC-2000-24	2.000	50.80	2.13	54.10	1.500	38.10	16	7.2	300	60	VC-2000-24
VC-2125-16	2.125	53.98	2.275	57.79	1.000	25.40	17	7.6	500	100	VC-2125-16
VC-2156-16	2.156	54.76	2.306	58.57	1.000	25.40	16	7.2	500	100	VC-2156-16
VC-2250-16	2.250	57.15	2.400	60.96	1.000	25.40	22	10.0	500	100	VC-2250-16
VC-2250-24	2.250	57.15	2.400	60.96	1.500	38.10	20	9.0	300	60	VC-2250-24
VC-2375-16	2.375	59.56	2.525	64.14	1.000	25.40	20	9.0	400	80	VC-2375-16
VC-2375-24	2.375	59.56	2.525	64.14	1.500	38.10	20	9.0	300	60	VC-2375-24
VC-2460-16	2.460	62.48	2.610	66.29	1.000	25.40	19	8.6	400	80	VC-2460-16
VC-2500-16	2.500	63.50	2.650	67.31	1.000	25.40	21	9.5	400	80	VC-2500-16
VC-2500-24	2.500	63.50	2.650	67.31	1.500	38.10	19	8.6	250	50	VC-2500-24
VC-2625-16	2.625	66.67	2.775	70.49	1.000	25.40	23	10.4	400	80	VC-2625-16
VC-2625-24	2.625	66.67	2.775	70.49	1.500	38.10	13	5.8	200	40	VC-2625-24
VC-2687-16	2.687	68.25	2.847	72.31	1.000	25.40	23	10.4	400	80	VC-2687-16
VC-2750-16	2.750	69.85	2.910	73.91	1.000	25.40	23	8.6	300	60	VC-2750-16
VC-2750-24	2.750	69.85	2.910	73.91	1.500	38.10	12	5.4	200	40	VC-2750-24
VC-2875-16	2.875	73.03	3.035	77.09	1.000	25.40	13	5.8	250	50	VC-2875-16
VC-3000-16	3.000	76.20	3.160	80.26	1.000	25.40	18	8.1	250	50	VC-3000-16
VC-3000-24	3.000	76.20	3.160	80.26	1.500	38.10	25	11.3	250	50	VC-3000-24
VC-3125-16	3.125	79.37	3.285	83.44	1.000	25.40	15	6.8	250	N/A	VC-3125-16
VC-3125-24	3.125	79.37	3.285	83.44	1.500	38.10	27	12.2	300	N/A	VC-3125-24
VC-3250-18	3.250	82.55	3.410	86.61	1.125	25.40	16	7.2	200	N/A	VC-3250-18
VC-3375-18	3.375	85.73	3.535	89.79	1.125	25.40	13	5.8	200	N/A	VC-3375-18
VC-3500-18	3.500	88.90	3.660	92.96	1.125	25.40	13	5.8	150	N/A	VC-3500-18
VC-3500-24	3.500	88.90	3.660	92.96	1.500	38.10	18	8.1	200	N/A	VC-3500-24
VC-3625-18	3.625	92.08	3.785	96.14	1.125	28.58	15	6.8	200	N/A	VC-3625-18
VC-3750-18	3.750	92.25	3.910	99.31	1.125	28.58	19	8.6	200	N/A	VC-3750-18
VC-3875-18	3.875	98.43	4.035	102.49	1.125	28.58	20	9.0	200	N/A	VC-3875-18
VC-4000-20	4.000	101.60	4.160	105.66	1.250	31.75	12	5.4	100	N/A	VC-4000-20
VC-4125-20	4.125	104.78	4.285	108.84	1.250	31.75	18	8.1	150	N/A	VC-4125-20
VC-4187-20	4.187	106.35	4.347	110.41	1.250	31.75	13	5.8	100	N/A	VC-4187-20
VC-4250-20	4.250	107.95	4.410	112.01	1.250	31.75	18	8.1	150	N/A	VC-4250-20
VC-4375-20	4.375	111.13	4.535	115.19	1.250	31.75	19	8.6	150	N/A	VC-4375-20
VC-4500-20	4.500	114.30	4.660	118.36	1.250	31.75	20	9.0	150	N/A	VC-4500-20
VC-4750-20	4.750	120.65	4.910	124.71	1.250	31.75	21	9.5	150	N/A	VC-4750-20
VC-5000-22	5.000	127.00	5.180	131.57	1.375	34.93	20	9.0	125	N/A	VC-5000-22


Note: Most vinyl parts are also available in high temperature vinyl, anti-static, and medical grade materials.



VC Series (cont'd)

Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.) lbs	kgs		No. of Pieces	
VC-5187-22	5.187	131.75	5.367	136.32	1.375	34.93	21	9.5	125	N/A	VC-5187-22
VC-5375-22	5.375	136.53	5.555	141.10	1.375	34.93	20	9.0	100	N/A	VC-5375-22
VC-5500-22	5.500	139.70	5.680	144.27	1.375	34.93	21	9.5	100	N/A	VC-5500-22
VC-6000-24	6.000	152.40	6.180	156.97	1.500	38.10	22	10.0	90	N/A	VC-6000-24
VC-6250-24	6.250	158.75	6.430	163.32	1.500	38.10	23	10.4	90	N/A	VC-6250-24
VC-6500-24	6.500	165.10	6.680	169.67	1.500	38.10	22	10.0	80	N/A	VC-6500-24
VC-7000-24	7.000	177.80	7.180	182.37	1.500	38.10	16	7.2	50	N/A	VC-7000-24
VC-7250-24	7.250	184.15	7.430	188.72	1.500	38.10	22	10.0	70	N/A	VC-7250-24
VC-7500-24	7.500	190.50	7.680	195.07	1.500	38.10	19	8.6	50	N/A	VC-7500-24
VC-7750-28	7.750	196.85	7.930	201.42	1.750	44.45	19	8.6	50	N/A	VC-7750-28
VC-8000-28	8.000	203.20	8.180	207.77	1.750	44.45	20	9.0	50	N/A	VC-8000-28
VC-8500-28	8.500	215.90	8.680	220.47	1.750	44.45	22	10.0	50	N/A	VC-8500-28
VC-8750-28	8.750	222.25	8.930	226.82	1.750	44.45	23	10.4	50	N/A	VC-8750-28
VC-9000-28	9.000	228.60	9.200	233.68	1.750	44.45	21	9.5	40	N/A	VC-9000-28
VC-9250-28	9.250	234.95	9.450	240.03	1.750	44.45	22	10.0	40	N/A	VC-9250-28
VC-9375-28	9.375	238.10	9.575	243.21	1.750	44.45	22	10.0	40	N/A	VC-9375-28
VC-9500-28	9.500	241.30	9.700	246.38	1.750	44.45	23	10.4	40	N/A	VC-9500-28
VC-9625-28	9.625	244.48	9.825	249.56	1.750	44.45	23	10.4	40	N/A	VC-9625-28
VC-9875-28	9.875	250.83	10.075	255.91	1.750	44.45	24	10.9	40	N/A	VC-9875-28
VC-10000-32	10.000	254.00	10.200	259.08	2.000	50.80	23	10.4	35	N/A	VC-10000-32
VC-10312-32	10.312	261.92	10.512	267.00	2.000	50.80	17	7.6	25	N/A	VC-10312-32
VC-10750-32	10.750	273.05	10.950	278.13	2.000	50.80	18	8.1	25	N/A	VC-10750-32
VC-11000-32	11.000	279.40	11.200	284.48	2.000	50.80	19	8.6	25	N/A	VC-11000-32
VC-11375-32	11.375	288.93	11.575	294.01	2.000	50.80	19	8.6	25	N/A	VC-11375-32
VC-11750-32	11.750	298.45	11.950	303.53	2.000	50.80	20	9.0	25	N/A	VC-11750-32
VC-12000-32	12.000	304.80	12.200	309.88	2.000	50.80	21	9.5	25	N/A	VC-12000-32
VC-12250-32	12.250	311.15	12.450	316.23	2.000	50.80	22	10.0	25	N/A	VC-12250-32
VC-12500-32	12.500	317.50	12.700	322.58	2.000	50.80	22	10.0	25	N/A	VC-12500-32
VC-12625-32	12.625	320.68	12.825	325.76	2.000	50.80	23	10.4	25	N/A	VC-12625-32
VC-12875-32	12.875	327.03	13.075	332.11	2.000	50.80	23	10.4	25	N/A	VC-12875-32
VC-13250-32	13.250	336.50	13.470	342.14	2.000	50.80	24	10.9	25	N/A	VC-13250-32
VC-13500-32	13.500	342.90	13.720	348.49	2.000	50.80	25	11.3	25	N/A	VC-13500-32
VC-13600-32	13.600	345.44	13.820	351.03	2.000	50.80	26	11.8	25	N/A	VC-13600-32
VC-14000-32	14.000	355.60	14.220	361.19	2.000	50.80	27	12.2	25	N/A	VC-14000-32
VC-14250-32	14.250	361.95	14.470	367.54	2.000	50.80	27	12.2	25	N/A	VC-14250-32
VC-14500-32	14.500	368.30	14.720	373.89	2.000	50.80	28	12.7	25	N/A	VC-14500-32
VC-15000-32	15.000	381.00	15.220	386.59	2.000	50.80	30	13.6	25	N/A	VC-15000-32
VC-15625-32	15.625	396.88	15.845	402.46	2.000	50.80	32	14.5	25	N/A	VC-15625-32
VC-15875-32	15.875	403.23	16.115	409.32	2.000	50.80	33	15.0	25	N/A	VC-15875-32
VC-16000-32	16.000	406.50	16.240	412.50	2.000	50.80	40	18.1	25	N/A	VC-16000-32
VC-16500-32	16.500	419.10	16.740	425.20	2.000	50.80	42	19.1	25	N/A	VC-16500-32
VC-17375-40	17.375	441.33	17.615	447.42	2.500	63.50	49	22.2	25	N/A	VC-17375-40
VC-18000-40	18.000	457.20	18.240	463.30	2.500	63.50	52	23.6	25	N/A	VC-18000-40
VC-19000-40	19.000	482.60	19.240	488.70	2.500	63.50	56	25.4	25	N/A	VC-19000-40
VC-20000-40	20.000	508.00	20.240	514.10	2.500	63.50	62	28.1	25	N/A	VC-20000-40
VC-21000-40	21.000	533.40	21.240	539.50	2.500	63.50	68	30.8	25	N/A	VC-21000-40

Lengths are available in 1/16" (1.6mm) increments. Length tolerance is ±1/16" (1.6mm).






CAPS Polaris Vinyl

EZ Series Flexible Vinyl Caps with Pull-Tab for Easy Removal

EXPANDED




Series EZ-Pull Vinyl Caps feature an extra long tab centered at the top of the closure which allows the cap to be finger-removed easily, eliminating the use of tools which could damage threads or part surfaces. Molded from a specially formulated and flexible vinyl which enables a snug fit on parts, thereby providing better protection against dirt, moisture and impact damage.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock

AVAILABILITY: Consult Factory



Note:

- EZ-187 through EZ-240 have a maximum length of 1.5".
- EZ-240 through EZ-1480 have various maximum lengths of up to 4". Call factory for details.



All EZ Series parts are also available in special ergonomic pull-tab style EZ Series. Consult factory. (Not available in high temp material)

EZ Series



VFE Series Vinyl Caps with Flat Ergonomic Pull-Tab

NEW




Series VFE Caps feature a long, flat ergonomic pull-tab, which allows for easy removal. The ergonomic design offers an easier gripping surface and requires less pull for removal.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock

AVAILABILITY: Consult Factory





EZ Series

Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.)			No. of Pieces	
						lbs	kgs				
EZ-187-12	0.187	4.74	0.500	12.70	0.093	2.36	11	5.0	5000	1000	EZ-187-12
EZ-207-12	0.207	5.26	0.500	12.70	0.093	2.36	13	5.9	5000	1000	EZ-207-12
EZ-215-12	0.215	5.46	0.500	12.70	0.093	2.36	11	5.0	5000	1000	EZ-215-12
EZ-240-12	0.240	6.09	0.625	15.87	0.125	3.17	17	7.7	4000	800	EZ-240-12
EZ-303-12	0.303	7.69	0.625	15.87	0.125	3.17	19	8.6	4000	800	EZ-303-12
EZ-365-12	0.365	9.27	0.625	15.87	0.125	3.17	19	8.6	3500	700	EZ-365-12
EZ-386-12	0.386	9.80	0.625	15.87	0.125	3.17	15	6.8	4000	800	EZ-386-12
EZ-406-12	0.406	10.31	0.625	15.87	0.125	3.17	17	7.7	4000	800	EZ-406-12
EZ-427-12	0.427	10.84	0.625	15.87	0.125	3.17	18	8.1	3000	600	EZ-427-12
EZ-460-12	0.460	11.68	0.500	12.70	0.100	2.54	18	8.1	3000	600	EZ-460-12
EZ-490-12	0.490	12.44	0.687	17.44	0.125	3.17	17	7.7	2500	500	EZ-490-12
EZ-552-12	0.552	14.02	0.687	17.44	0.125	3.17	19	8.6	2500	500	EZ-552-12
EZ-600-12	0.600	15.24	0.812	20.62	0.187	4.75	14	6.4	2000	400	EZ-600-12
EZ-615-12	0.615	15.62	0.687	17.44	0.125	3.17	16	7.2	2000	400	EZ-615-12
EZ-655-12	0.655	16.63	0.875	22.22	0.187	4.75	16	7.3	2000	400	EZ-655-12
EZ-670-12	0.670	17.02	0.800	20.32	0.190	4.83	18	8.1	2000	400	EZ-670-12
EZ-677-12	0.677	17.19	0.812	20.62	0.187	4.75	19	8.6	2000	400	EZ-677-12
EZ-695-12	0.695	17.65	0.812	20.62	0.187	4.75	13	5.9	1500	300	EZ-695-12
EZ-735-12	0.735	18.66	0.812	20.62	0.187	4.75	16	7.2	1500	300	EZ-735-12
EZ-760-12	0.760	19.30	0.800	20.32	0.190	4.83	10	4.5	2000	400	EZ-760-12
EZ-797-12	0.797	20.24	0.812	20.62	0.187	4.75	16	7.3	1500	300	EZ-797-12
EZ-835-12	0.835	21.20	0.843	21.41	0.187	4.75	17	7.7	1500	300	EZ-835-12
EZ-860-12	0.860	21.84	0.843	21.41	0.187	4.75	18	8.1	1500	300	EZ-860-12
EZ-922-12	0.922	23.41	0.875	22.22	0.187	4.75	12	5.4	1000	200	EZ-922-12
EZ-985-12	0.985	25.01	0.875	22.22	0.187	4.75	17	7.7	1250	250	EZ-985-12
EZ-1048-12	1.048	27.53	1.000	25.40	0.187	4.75	15	6.8	1000	200	EZ-1048-12
EZ-1110-12	1.110	28.19	1.125	28.58	0.187	4.75	17	7.7	1000	200	EZ-1110-12
EZ-1175-12	1.175	29.85	0.750	19.05	0.325	8.26	12	5.4	600	120	EZ-1175-12
EZ-1230-12	1.230	31.24	1.125	28.58	0.187	4.75	15	6.8	900	180	EZ-1230-12
EZ-1355-12	1.355	34.41	1.125	28.58	0.250	6.35	22	10.0	800	160	EZ-1355-12
EZ-1480-12	1.480	37.59	1.000	25.40	0.250	6.35	16	7.3	800	160	EZ-1480-12

VFE Series

Caplug No.	Dimensions										Packaging				Caplug No.
	A		B		C		D		E		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	in	mm	in	mm	Shipping Wt. (Approx.)			No. of Pieces	
											lbs	kgs			
VFE-312-8	0.312	7.92	0.500	12.70	0.145	3.68	0.600	15.24	0.231	5.87	30	13.6	5000	1000	VFE-312-8
VFE-320-10	0.320	8.13	0.625	15.88	0.100	2.54	0.600	15.24	0.300	7.62	45	20.4	8000	1000	VFE-320-10
VFE-375-8	0.375	9.53	0.500	12.70	0.325	8.26	0.600	15.24	0.250	6.35	36	16.3	5000	1000	VFE-375-8
VFE-406-28	0.406	10.31	1.750	44.45	-	-	0.650	16.51	0.406	10.31	18	8.1	2000	400	VFE-406-28
VFE-420-10	0.420	10.67	0.625	15.88	0.170	4.32	0.570	14.48	0.300	7.62	32	14.5	5000	1000	VFE-420-10
VFE-437-8	0.437	11.10	0.500	12.70	0.155	3.94	0.600	15.24	0.350	8.89	47	21.3	5000	1000	VFE-437-8
VFE-450-6	0.450	11.43	0.375	9.53	0.300	7.62	0.600	15.24	0.385	9.78	60	27.2	8000	1000	VFE-450-6
VFE-500-8	0.500	12.70	0.500	12.70	0.325	8.26	0.600	15.24	0.380	9.65	62	28.1	5000	1000	VFE-500-8
VFE-530-10	0.530	13.46	0.625	15.88	-	-	0.500	12.70	0.320	8.13	43	19.5	4000	800	VFE-530-10
VFE-595-10	0.595	15.11	0.625	15.88	0.225	5.72	0.675	17.15	0.450	11.43	20	9.1	2500	500	VFE-595-10
VFE-750-12	0.750	19.05	0.750	19.05	0.315	8.00	0.570	14.48	0.300	7.62	39	17.7	3000	600	VFE-750-12
VFE-1000-10	1.000	25.40	0.625	15.88	0.375	9.53	0.600	15.24	0.590	14.99	14	6.4	500	100	VFE-1000-10
VFE-1125-12	1.125	28.58	0.750	19.05	0.375	9.53	0.650	16.51	0.640	16.26	61	27.7	2000	400	VFE-1125-12