



VCF Series


Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.) lbs	kgs		No. of Pieces	
VCF-437-16	0.437	11.09	0.060	1.52	1.000	25.4	13	5.9	2500	500	VCF-437-16
VCF-500-8	0.500	12.70	0.060	1.52	.500	12.7	12	5.4	5000	1000	VCF-500-8
VCF-500-16	0.500	12.70	0.060	1.52	1.000	25.4	17	7.7	2500	500	VCF-500-16
VCF-531-8	0.531	13.48	0.060	1.52	.500	12.7	14	6.4	5000	1000	VCF-531-8
VCF-531-16	0.531	13.48	0.060	1.52	1.000	25.4	13	5.9	2500	500	VCF-531-16
VCF-562-8	0.562	14.27	0.065	1.65	.500	12.7	9	4.1	2500	500	VCF-562-8
VCF-562-16	0.562	14.27	0.065	1.65	1.000	25.4	15	6.8	2500	500	VCF-562-16
VCF-625-8	0.625	15.87	0.065	1.65	.500	12.7	10	4.5	2500	500	VCF-625-8
VCF-625-16	0.625	15.87	0.065	1.65	1.000	25.4	17	7.7	2500	500	VCF-625-16
VCF-625-24	0.625	15.87	0.065	1.65	1.500	38.1	20	9.1	2000	400	VCF-625-24
VCF-687-8	0.687	17.44	0.065	1.65	.500	12.7	11	5.0	2500	500	VCF-687-8
VCF-687-16	0.687	17.44	0.065	1.65	1.000	25.4	8	3.6	1000	200	VCF-687-16
VCF-750-8	0.750	19.05	0.065	1.65	.500	12.7	13	5.9	2500	500	VCF-750-8
VCF-750-16	0.750	19.05	0.065	1.65	1.000	25.4	9	4.1	1000	200	VCF-750-16
VCF-812-8	0.812	20.62	0.065	1.65	.500	12.7	14	6.4	2500	500	VCF-812-8
VCF-812-16	0.812	20.62	0.065	1.65	1.000	25.4	10	4.5	1000	200	VCF-812-16
VCF-812-24	0.812	20.62	0.065	1.65	1.500	38.1	16	7.3	1000	200	VCF-812-24
VCF-875-8	0.875	22.22	0.065	1.65	.500	12.7	14	6.4	2500	500	VCF-875-8
VCF-875-16	0.875	22.22	0.065	1.65	1.000	25.4	10	4.5	1000	200	VCF-875-16
VCF-875-24	0.875	22.22	0.065	1.65	1.500	38.1	14	6.4	1000	200	VCF-875-24
VCF-937-8	0.937	23.79	0.070	1.79	.500	12.7	18	8.2	2500	500	VCF-937-8
VCF-937-16	0.937	23.79	0.070	1.79	1.000	25.4	11	5.0	1000	200	VCF-937-16
VCF-1000-8	1.000	25.40	0.070	1.79	.500	12.7	7	3.2	1000	200	VCF-1000-8
VCF-1000-16	1.000	25.40	0.070	1.79	1.000	25.1	13	5.9	1000	200	VCF-1000-16
VCF-1000-24	1.000	25.40	0.070	1.79	1.500	38.1	19	8.6	1000	200	VCF-1000-24
VCF-1000-32	1.000	25.40	0.070	1.79	2.000	50.8	12	5.4	600	120	VCF-1000-32
VCF-1062-16	1.062	26.97	0.070	1.79	1.000	25.4	19	8.6	1200	240	VCF-1062-16
VCF-1062-24	1.062	26.97	0.070	1.79	1.500	38.1	14	6.4	600	120	VCF-1062-24
VCF-1125-16	1.125	28.57	0.070	1.79	1.000	25.4	22	10.0	1200	240	VCF-1125-16
VCF-1187-16	1.187	30.15	0.070	1.79	1.000	25.4	19	8.6	1000	200	VCF-1187-16
VCF-1250-16	1.250	31.75	0.070	1.79	1.000	25.4	18	8.2	1000	200	VCF-1250-16
VCF-1250-24	1.250	31.75	0.070	1.79	1.500	38.1	14	6.4	500	100	VCF-1250-24
VCF-1312-16	1.312	33.32	0.070	1.79	1.000	25.4	15	6.8	800	160	VCF-1312-16
VCF-1312-24	1.312	33.32	0.070	1.79	1.500	38.1	17	7.7	600	120	VCF-1312-24
VCF-1375-16	1.375	34.92	0.070	1.79	1.000	25.4	16	7.3	800	160	VCF-1375-16
VCF-1375-24	1.375	34.92	0.070	1.79	1.500	38.1	12	5.4	400	80	VCF-1375-24
VCF-1375-32	1.375	34.92	0.070	1.79	2.000	50.8	17	7.7	400	80	VCF-1375-32
VCF-1500-16	1.500	38.10	0.070	1.79	1.000	25.4	16	7.3	750	150	VCF-1500-16
VCF-1500-24	1.500	38.10	0.070	1.79	1.500	38.1	10	4.5	300	60	VCF-1500-24
VCF-1625-16	1.625	41.27	0.070	1.79	1.000	25.4	19	8.6	750	150	VCF-1625-16
VCF-1687-16	1.687	42.84	0.070	1.79	1.000	25.4	20	9.1	700	140	VCF-1687-16
VCF-1750-16	1.750	44.45	0.070	1.79	1.000	25.4	21	9.5	700	140	VCF-1750-16
VCF-1875-16	1.875	47.62	0.070	1.79	1.000	25.4	20	9.1	600	120	VCF-1875-16
VCF-2000-16	2.000	50.80	0.070	1.79	1.000	25.4	21	9.5	600	120	VCF-2000-16
VCF-2000-24	2.000	50.80	0.070	1.79	1.500	38.1	16	7.3	300	60	VCF-2000-24
VCF-2250-16	2.250	57.15	0.070	1.79	1.000	25.4	16	7.3	500	100	VCF-2250-16
VCF-2250-24	2.250	57.15	0.070	1.79	1.500	38.1	16	7.3	300	60	VCF-2250-24
VCF-2500-16	2.500	63.50	0.070	1.79	1.000	25.4	16	7.3	400	80	VCF-2500-16
VCF-2500-24	2.500	63.50	0.070	1.79	1.500	38.1	15	6.8	250	50	VCF-2500-24
VCF-3000-16	3.000	76.20	0.070	1.79	1.000	25.4	15	6.8	250	50	VCF-3000-16
VCF-3000-24	3.000	76.20	0.070	1.79	1.500	38.1	25	11.3	250	50	VCF-3000-24
VCF-3125-16	3.125	79.37	0.070	1.79	1.000	25.4	18	8.2	250	50	VCF-3125-16
VCF-3125-24	3.125	79.37	0.070	1.79	1.500	38.1	28	12.7	300	60	VCF-3125-24



CAPS Polaris Vinyl

VF Series Vinyl Flange Covers

Series VF Vinyl Flange Covers seal out dust and moisture during shipment to protect flange surfaces. These covers are quick and easy to apply, and provide a snug fit for flanged and beaded tubes. Series VF is available in a variety of sizes.




MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock

(Not available in high temp material)

Also available in a more flexible, low durometer vinyl with standard color yellow. Consult factory.

VAS Series Vinyl American Standard Association Flange Covers

Designed to accommodate most American Standard Association, Navy and Military sizes, Series VAS Vinyl Flange Covers protect flanges by sealing out dust and moisture during shipment. Series VAS is available in a wide range of sizes.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock



VF Series

Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.) lbs	kgs		No. of Pieces	
VF-680	0.680	17.27	1.310	33.27	0.065	1.650	24	10.9	2000	400	VF-680
VF-930	0.930	23.62	1.550	39.37	0.065	1.650	16	7.3	1500	300	VF-930
VF-1000	1.000	25.40	1.620	41.14	0.065	1.650	24	10.9	1500	300	VF-1000
VF-1310	1.310	33.27	1.930	49.02	0.065	1.650	16	7.3	1000	200	VF-1310
VF-1500	1.500	38.10	2.195	55.75	0.065	1.650	23	10.4	900	180	VF-1500
VF-2000	2.000	50.80	2.695	68.45	0.065	1.650	22	10.0	600	120	VF-2000
VF-2180	2.180	55.37	2.860	72.64	0.065	1.650	20	9.1	500	100	VF-2180
VF-2500	2.500	63.50	3.180	80.77	0.065	1.650	17	7.7	400	80	VF-2500
VF-2930	2.930	74.42	3.560	90.42	0.065	1.650	17	7.7	400	80	VF-2930
VF-3000	3.000	76.20	3.600	91.44	0.065	1.650	21	9.5	400	80	VF-3000
VF-3500	3.500	88.90	4.155	105.53	0.065	1.650	23	10.4	300	60	VF-3500
VF-4000	4.000	101.60	4.690	119.12	0.065	1.650	24	10.9	250	50	VF-4000
VF-4250	4.250	107.95	4.940	125.47	0.065	1.650	21	9.5	200	40	VF-4250
VF-4500	4.500	114.30	5.190	131.82	0.065	1.650	23	10.4	200	40	VF-4500
VF-4750	4.750	120.65	5.440	138.17	0.065	1.650	21	9.5	200	40	VF-4750
VF-5000	5.000	127.00	5.690	144.52	0.065	1.650	13	5.9	100	20	VF-5000
VF-5250	5.250	133.35	5.940	150.87	0.065	1.650	11	5.0	100	20	VF-5250
VF-5500	5.500	139.70	6.190	157.22	0.065	1.650	14	6.4	100	20	VF-5500
VF-6000	6.000	152.40	6.690	169.92	0.065	1.650	17	7.7	100	20	VF-6000
VF-6500	6.500	165.10	7.190	182.62	0.065	1.650	18	8.1	100	20	VF-6500

VAS Series

Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.) lbs	kgs		No. of Pieces	
VAS-3500-6	2.485	63.12	3.500	88.90	0.400	10.16	15	6.8	250	50	VAS-3500-6
VAS-3750-8	2.750	69.85	3.750	95.25	0.500	12.70	15	6.8	200	40	VAS-3750-8
VAS-3870-8	2.860	72.64	3.870	98.30	0.540	13.72	16	7.3	200	40	VAS-3870-8
VAS-4250-7	3.260	82.80	4.250	107.95	0.460	11.68	17	7.7	200	40	VAS-4250-7
VAS-4620-9	3.620	91.95	4.620	117.35	0.500	12.70	11	5.0	100	20	VAS-4620-9
VAS-4870-10	3.900	99.06	4.870	123.70	0.680	17.27	12	5.4	100	20	VAS-4870-10
VAS-5000-9	4.000	101.60	5.000	127.00	0.620	15.75	13	5.9	100	20	VAS-5000-9
VAS-5250-12	4.250	107.95	5.250	133.35	0.760	19.30	14	6.4	100	20	VAS-5250-12
VAS-6000-10	4.500	114.30	6.000	152.40	0.675	17.15	16	7.3	100	20	VAS-6000-10
VAS-6120-13	5.110	129.79	6.120	155.45	0.825	20.96	17	7.7	100	20	VAS-6120-13
VAS-6500-14	5.500	139.70	6.500	165.10	0.900	22.86	16	7.3	80	N/A	VAS-6500-14
VAS-7000-12	6.000	152.40	7.000	177.80	0.800	20.32	15	6.8	70	N/A	VAS-7000-12
VAS-7500-14	6.500	165.10	7.500	190.50	0.900	22.86	15	6.8	60	N/A	VAS-7500-14
VAS-8250-19	7.200	182.88	8.250	209.55	1.300	33.02	7	3.2	20	N/A	VAS-8250-19
VAS-9000-14	8.030	203.96	9.000	228.60	1.000	25.40	8	3.6	20	N/A	VAS-9000-14
VAS-10000-15	9.000	228.60	10.030	254.76	0.875	22.23	9	4.1	20	N/A	VAS-10000-15
VAS-10750-24	9.730	247.14	10.750	273.05	1.500	38.10	11	5.0	20	N/A	VAS-10750-24
VAS-11000-16	10.050	255.27	11.000	279.40	1.000	25.40	11	5.0	20	N/A	VAS-11000-16
VAS-12500-22	11.500	292.10	12.500	317.50	1.440	36.58	13	5.9	20	N/A	VAS-12500-22



CAPS Polaris Vinyl

VSR Series Vinyl Snap Ring Flange Covers


EXPANDED



Series VSR Vinyl Snap Ring Flange Covers seal out dust and moisture during shipment to protect flange surfaces. These covers are designed to snap on easily for a snug fit. Series VSR is available in a wide range of sizes.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock





Industry's most extensive custom capabilities.
See pages 8-9 for details.

Polaris Vinyl CAPS

VSR Series

Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.)				
						lbs	kgs	No. of Pieces			
VSR-1000	0.870	22.10	1.000	25.40	0.375	9.53	10	4.5	1000	200	VSR-1000
VSR-1150	1.050	26.67	1.150	29.21	0.505	12.83	11	5.0	1000	200	VSR-1150
VSR-1250	1.150	29.21	1.250	31.75	0.505	12.83	13	5.9	1000	200	VSR-1250
VSR-1500	1.450	36.83	1.550	39.37	0.430	10.92	15	6.8	1000	200	VSR-1500
VSR-1650	1.650	41.91	1.800	45.72	0.505	12.83	16	7.3	1000	200	VSR-1650
VSR-1750	1.700	43.18	1.800	45.72	0.450	11.43	17	7.7	1000	200	VSR-1750
VSR-2000	1.950	49.53	2.050	52.07	0.450	11.43	23	10.4	1000	200	VSR-2000
VSR-2150	2.050	52.07	2.150	54.61	0.500	12.70	18	8.1	1000	200	VSR-2150
VSR-2250	2.150	54.61	2.280	57.91	0.450	11.43	15	6.8	500	100	VSR-2250
VSR-2500	2.400	60.96	2.620	66.55	0.450	11.43	17	7.7	500	100	VSR-2500
VSR-2750	2.650	67.31	2.800	71.12	0.450	11.43	19	8.6	500	100	VSR-2750
VSR-3000	2.850	72.39	3.050	77.47	0.450	11.43	11	5.0	250	N/A	VSR-3000
VSR-3250	3.150	80.01	3.300	83.82	0.450	11.43	15	6.8	250	N/A	VSR-3250
VSR-3500	3.400	86.36	3.600	91.44	0.450	11.43	16	7.3	250	N/A	VSR-3500
VSR-3750	3.650	92.71	3.850	97.79	0.500	12.70	17	7.7	250	N/A	VSR-3750
VSR-4000	3.900	99.06	4.080	103.63	0.500	12.70	19	8.6	250	N/A	VSR-4000
VSR-4250	4.150	105.41	4.320	109.73	0.550	13.97	20	9.1	250	N/A	VSR-4250
VSR-4500	4.400	111.76	4.600	116.84	0.550	13.97	21	9.5	250	N/A	VSR-4500
VSR-4750	4.650	118.11	4.850	123.19	0.500	12.70	23	10.4	250	N/A	VSR-4750
VSR-5000	4.900	124.46	5.100	129.54	0.600	15.24	21	9.5	200	N/A	VSR-5000
VSR-5250	5.150	130.81	5.350	135.89	0.600	15.24	24	10.9	200	N/A	VSR-5250
VSR-5500	5.400	137.16	5.620	142.75	0.600	15.24	21	9.5	150	N/A	VSR-5500
VSR-5750	5.700	144.78	5.850	148.59	0.600	15.24	22	10.0	150	N/A	VSR-5750
VSR-6000	5.900	149.86	6.180	156.97	0.600	15.24	23	10.4	150	N/A	VSR-6000
VSR-6250	6.180	156.97	6.400	162.56	0.600	15.24	24	10.9	150	N/A	VSR-6250
VSR-6500	6.450	163.83	6.650	168.91	0.600	15.24	17	7.7	100	N/A	VSR-6500
VSR-6750	6.700	170.18	6.900	175.26	0.600	15.24	18	8.1	100	N/A	VSR-6750
VSR-7000	6.950	176.53	7.150	181.61	0.600	15.24	20	9.1	100	N/A	VSR-7000
VSR-7250	7.200	182.88	7.400	187.96	0.600	15.24	26	11.8	100	N/A	VSR-7250
VSR-7500	7.450	189.23	7.650	194.31	0.600	15.24	28	12.7	100	N/A	VSR-7500
VSR-7750	7.700	195.58	7.900	200.66	0.600	15.24	20	9.1	75	N/A	VSR-7750
VSR-8000	7.950	201.93	8.150	207.01	0.600	15.24	21	9.5	75	N/A	VSR-8000
VSR-8250	8.250	209.55	8.450	214.63	0.600	15.24	22	10.0	75	N/A	VSR-8250
VSR-8500	8.450	214.63	8.700	220.98	0.600	15.24	23	10.4	75	N/A	VSR-8500
VSR-8750	8.600	218.44	8.800	223.52	0.600	15.24	25	11.3	75	N/A	VSR-8750
VSR-9500	9.350	237.49	9.550	242.57	0.600	15.24	28	12.7	75	N/A	VSR-9500
VSR-9750	9.700	246.38	10.050	255.27	0.600	15.24	20	9.1	50	N/A	VSR-9750
VSR-10000	9.900	251.46	10.050	255.27	0.600	15.24	21	9.5	50	N/A	VSR-10000
VSR-10250	10.100	256.54	10.300	261.62	0.600	15.24	18	8.1	40	N/A	VSR-10250
VSR-10500	10.400	264.16	10.650	270.51	0.600	15.24	14	6.4	30	N/A	VSR-10500
VSR-11000	10.900	276.86	11.050	280.67	0.600	15.24	16	7.3	30	N/A	VSR-11000
VSR-11420	11.100	281.94	11.420	290.07	0.500	12.70	38	17.2	50	N/A	VSR-11420
VSR-12000	11.800	299.72	12.000	304.80	0.650	16.51	13	5.9	20	N/A	VSR-12000
VSR-12250	12.150	308.61	12.350	313.69	0.650	16.51	14	6.4	20	N/A	VSR-12250
VSR-13500	13.500	342.90	13.750	349.25	0.650	16.51	21	9.5	25	N/A	VSR-13500
VSR-14500	14.500	368.30	14.750	374.65	0.650	16.51	44	20.0	50	N/A	VSR-14500