




CAPS Polaris Vinyl

VSC Series Vinyl Square Caps






Series VSC Vinyl Square Caps are strong and tough, yet flexible enough to stretch for a perfect fit. Designed for use with square tubing, these caps are excellent finishing parts. Series VSC is available in a wide range of sizes, and comes in 9 standard colors.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock

AVAILABILITY: Consult Factory




Note:

- VSC-250 through VSC-750 have various maximum lengths of up to 4".
- VSC-1000 through VSC-4000 have various maximum lengths of up to 8".
Call for details.



VSE Series Vinyl Square End Caps

Used to close the ends of clear tubing, Series VSE Vinyl Square End Caps are equipped with a square head to prevent products from rolling around during shipment. This square head also allows containers to stand upright. Series VSE is available in 9 standard colors.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock

AVAILABILITY: Consult Factory
 (Not available in high temp material)



Note:

- VSE-531 through VSE-1313 have a maximum length of 2".



VSC Series

Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.) lbs	kgs		No. of Pieces	
VSC 250-8	0.250	6.35	0.065	1.65	0.5	12.7	8	3.6	5000	1000	VSC 250-8
VSC 250-16	0.250	6.35	0.065	1.65	1.0	25.4	15	6.8	5000	1000	VSC 250-16
VSC 375-8	0.375	9.53	0.060	1.52	0.5	12.7	9	4.1	2500	500	VSC 375-8
VSC 375-16	0.375	9.53	0.060	1.52	1.0	25.4	12	5.4	2500	500	VSC 375-16
VSC 500-8	0.500	12.70	0.065	1.65	0.5	12.7	13	5.9	3000	600	VSC 500-8
VSC 500-16	0.500	12.70	0.065	1.65	1.0	25.4	15	6.8	2000	400	VSC 500-16
VSC 625-8	0.625	15.87	0.065	1.65	0.5	12.7	14	6.4	2500	500	VSC 625-8
VSC 625-16	0.625	15.87	0.065	1.65	1.0	25.4	15	6.8	1500	300	VSC 625-16
VSC 750-8	0.750	19.05	0.065	1.65	0.5	12.7	13	5.9	2000	400	VSC 750-8
VSC 750-16	0.750	19.05	0.065	1.65	1.0	25.4	12	5.4	1000	200	VSC 750-16
VSC 1000-8	1.000	25.40	0.065	1.65	0.5	12.7	13	5.9	1500	300	VSC 1000-8
VSC 1000-16	1.000	25.40	0.065	1.65	1.0	25.4	16	7.3	900	180	VSC 1000-16
VSC 1250-8	1.250	31.75	0.065	1.65	0.5	12.7	13	5.9	1000	200	VSC 1250-8
VSC 1250-16	1.250	31.75	0.065	1.65	1.0	25.4	15	6.8	700	140	VSC 1250-16
VSC 1500-8	1.500	38.10	0.065	1.65	0.5	12.7	16	7.3	900	180	VSC 1500-8
VSC 1500-16	1.500	38.10	0.065	1.65	1.0	25.4	17	7.7	600	120	VSC 1500-16
VSC 1625-8	1.625	41.28	0.070	1.78	0.5	12.7	33	15.0	1000	200	VSC 1625-8
VSC 1625-16	1.625	41.28	0.070	1.78	1.0	25.4	18	8.1	500	100	VSC 1625-16
VSC 1750-8	1.750	44.45	0.065	1.65	0.5	12.7	15	6.8	700	140	VSC 1750-8
VSC 1750-16	1.750	44.45	0.065	1.65	1.0	25.4	17	7.7	500	100	VSC 1750-16
VSC 1875-8	1.875	47.62	0.065	1.65	0.5	12.7	14	6.4	600	120	VSC 1875-8
VSC 1875-16	1.875	47.62	0.065	1.65	1.0	25.4	14	6.4	400	80	VSC 1875-16
VSC 2000-8	2.000	50.80	0.065	1.65	0.5	12.7	16	7.3	600	120	VSC 2000-8
VSC 2000-16	2.000	50.80	0.065	1.65	1.0	25.4	17	7.7	400	80	VSC 2000-16
VSC 2500-16	2.500	63.50	0.065	1.65	1.0	25.4	14	6.4	300	60	VSC 2500-16
VSC 3000-16	3.000	76.20	0.065	1.65	1.0	25.4	15	6.8	200	40	VSC 3000-16
VSC 3500-16	3.500	88.90	0.065	1.65	1.0	25.4	20	9.1	200	40	VSC 3500-16
VSC 4000-16	4.000	101.60	0.065	1.65	1.0	25.4	12	5.4	100	20	VSC 4000-16

VSE Series

Caplug No.	Dimensions						Packaging				Caplug No.
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt.(Approx.) lbs	kgs		No. of Pieces	
VSE-531-8	0.531	13.48	0.040	1.01	0.500	12.70	9	4.1	2000	400	VSE-531-8
VSE-625-8	0.625	15.87	0.050	1.27	0.500	12.70	13	5.9	1500	300	VSE-625-8
VSE-687-8	0.687	17.44	0.050	1.27	0.500	12.70	15	6.8	1500	300	VSE-687-8
VSE-750-12	0.750	19.05	0.050	1.27	0.750	19.05	13	5.9	1000	200	VSE-750-12
VSE-796-12	0.796	20.21	0.050	1.27	0.750	19.05	12	5.4	1000	200	VSE-796-12
VSE-875-12	0.875	22.22	0.050	1.27	0.750	19.05	16	7.3	1000	200	VSE-875-12
VSE-1000-16	1.000	25.40	0.060	1.52	1.000	25.40	15	6.8	700	140	VSE-1000-16
VSE-1125-16	1.125	28.57	0.060	1.52	1.000	25.40	16	7.3	700	140	VSE-1125-16
VSE-1313-16	1.313	33.35	0.060	1.52	1.000	25.40	19	8.6	700	140	VSE-1313-16




CAPS Polaris Vinyl

VRF Series Vinyl Rectangular Caps & Grips (flat end)



EXPANDED



Designed to fit most rectangular tubes and bars, Series VRF Vinyl Rectangular Caps and Grips feature a flat, closed end. These caps have many applications, including handle grips, paint shields, end caps and ESD covers. They slip on quickly and easily, and maintain a snug fit. Printing is available for Series VRF, which comes in 9 standard colors.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock



Note:

- VRF-035x906 through VRF-050x2500 have a maximum length of 2".
- VRF-062x500 through VRF-062x1656 have various maximum lengths of up to 4".
- VRF-080x300 through VRF-1062x2500 have various maximum lengths of up to 8".
Call for details.

New sizes are always being added.



Industry's most extensive custom capabilities.
See pages 8-9 for details.

Polaris Vinyl CAPS

VRF Series

Caplug No.	Dimensions						Packaging			Caplug No.	
	A		B		C		Standard Carton		Mini Pak Quantity		
	in	mm	in	mm	in	mm	Shipping Wt. (Approx.) lbs	kgs			No. of Pieces
VRF-035x906-16	0.035	0.89	0.906	23.01	1.000	25.4	17	7.7	2500	500	VRF-035x906-16
VRF-040x250-16	0.040	1.01	0.250	6.35	1.000	25.4	9	4.1	5000	1000	VRF-040x250-16
VRF-050x2500-16	0.050	1.27	2.500	63.50	1.000	25.4	16	7.3	900	180	VRF-050x2500-16
VRF-062x500-16	0.062	1.57	0.500	12.70	1.000	25.4	11	5.0	4000	800	VRF-062x500-16
VRF-062x1170-16	0.062	1.57	1.170	29.71	1.000	25.4	14	6.4	1500	300	VRF-062x1170-16
VRF-062x1250-16	0.062	1.57	1.250	31.75	1.000	25.4	14	6.4	1500	300	VRF-062x1250-16
VRF-062x1656-16	0.062	1.57	1.656	42.06	1.000	25.4	12	5.4	1000	200	VRF-062x1656-16
VRF-080x300-16	0.080	2.03	0.300	7.62	1.000	25.4	11	5.0	5000	1000	VRF-080x300-16
VRF-080x375-16	0.080	2.03	0.375	9.52	1.000	25.4	13	5.9	5000	1000	VRF-080x375-16
VRF-090x800-16	0.090	2.28	0.800	20.32	1.000	25.4	16	7.3	2500	500	VRF-090x800-16
VRF-090x970-16	0.090	2.28	0.970	24.63	1.000	25.4	15	6.8	2000	400	VRF-090x970-16
VRF-090x1000-16	0.090	2.28	1.000	25.40	1.000	25.4	15	6.8	2000	400	VRF-090x1000-16
VRF-090x1500-16	0.090	2.28	1.500	38.10	1.000	25.4	12	5.4	1000	200	VRF-090x1500-16
VRF-125x468-16	0.125	3.17	0.468	11.89	1.000	25.4	16	7.3	4000	800	VRF-125x468-16
VRF-125x500-16	0.125	3.17	0.500	12.70	1.000	25.4	15	6.8	4000	800	VRF-125x500-16
VRF-125x750-16	0.125	3.17	0.750	19.05	1.000	25.4	11	5.0	2000	400	VRF-125x750-16
VRF-125x875-16	0.125	3.17	0.875	22.22	1.000	25.4	14	6.4	2000	400	VRF-125x875-16
VRF-125x1000-16	0.125	3.17	1.000	25.40	1.000	25.4	14	6.4	2000	400	VRF-125x1000-16
VRF-125x1250-16	0.125	3.17	1.250	31.75	1.000	25.4	17	7.7	1500	300	VRF-125x1250-16
VRF-125x1500-16	0.125	3.17	1.500	38.10	1.000	25.4	12	5.4	1000	200	VRF-125x1500-16
VRF-125x2000-16	0.125	3.17	2.000	50.80	1.000	25.4	15	6.8	1000	200	VRF-125x2000-16
VRF-187x500-16	0.187	4.74	0.500	12.70	1.000	25.4	13	5.9	3000	600	VRF-187x500-16
VRF-187x625-16	0.187	4.74	0.625	15.87	1.000	25.4	16	7.3	3000	600	VRF-187x625-16
VRF-187x687-16	0.187	4.74	0.687	17.44	1.000	25.4	16	7.3	2500	500	VRF-187x687-16
VRF-187x1000-16	0.187	4.74	1.000	25.40	1.000	25.4	14	6.4	1500	300	VRF-187x1000-16
VRF-187x1500-16	0.187	4.74	1.500	38.10	1.000	25.4	14	6.4	1000	200	VRF-187x1500-16
VRF-187x1937-16	0.187	4.74	1.937	49.19	1.000	25.4	15	6.8	1000	200	VRF-187x1937-16
VRF-250x500-16	0.250	6.35	0.500	12.70	1.000	25.4	15	6.8	300	600	VRF-250x500-16
VRF-250x562-16	0.250	6.35	0.562	14.27	1.000	25.4	14	6.4	2500	500	VRF-250x562-16
VRF-250x625-16	0.250	6.35	0.625	15.87	1.000	25.4	15	6.8	2500	500	VRF-250x625-16
VRF-250x750-16	0.250	6.35	0.750	19.05	1.000	25.4	15	6.8	2000	400	VRF-250x750-16
VRF-250x875-16	0.250	6.35	0.875	22.22	1.000	25.4	16	7.3	2000	400	VRF-250x875-16
VRF-250x1000-16	0.250	6.35	1.000	25.40	1.000	25.4	15	6.8	1500	300	VRF-250x1000-16
VRF-250x1250-16	0.250	6.35	1.250	31.75	1.000	25.4	12	5.4	1000	200	VRF-250x1250-16
VRF-250x1312-16	0.250	6.35	1.312	33.32	1.000	25.4	15	6.8	1000	200	VRF-250x1312-16
VRF-250x1500-16	0.250	6.35	1.500	38.10	1.000	25.4	13	5.9	1000	200	VRF-250x1500-16
VRF-250x1750-16	0.250	6.35	1.750	44.45	1.000	25.4	15	6.8	1000	200	VRF-250x1750-16
VRF-250x2000-16	0.250	6.35	2.000	50.80	1.000	25.4	17	7.7	900	180	VRF-250x2000-16
VRF-290x344-16	0.290	7.37	0.344	8.74	1.000	25.4	9	4.1	3000	600	VRF-290x344-16
VRF-312x1250-16	0.312	7.92	1.250	31.75	1.000	25.4	12	5.4	1000	200	VRF-312x1250-16
VRF-312x1500-16	0.312	7.92	1.500	38.10	1.000	25.4	14	6.4	1000	200	VRF-312x1500-16
VRF-375x625-16	0.375	9.52	0.625	15.87	1.000	25.4	13	5.9	2000	400	VRF-375x625-16
VRF-375x1000-16	0.375	9.52	1.000	25.40	1.000	25.4	16	7.3	1500	300	VRF-375x1000-16
VRF-375x1125-16	0.375	9.52	1.125	28.12	1.000	25.4	10	4.5	1000	200	VRF-375x1125-16
VRF-375x1250-16	0.375	9.52	1.250	31.75	1.000	25.4	13	5.9	1000	200	VRF-375x1250-16
VRF-375x1500-16	0.375	9.52	1.500	38.10	1.000	25.4	14	6.4	1000	200	VRF-375x1500-16
VRF-500x625-16	0.500	12.70	0.625	15.87	1.000	25.4	13	5.9	1500	300	VRF-500x625-16
VRF-500x750-16	0.500	12.70	0.750	19.05	1.000	25.4	15	6.8	1500	300	VRF-500x750-16
VRF-500x1250-16	0.500	12.70	1.250	31.75	1.000	25.4	14	6.4	1000	200	VRF-500x1250-16
VRF-500x1375-16	0.500	12.70	1.375	34.92	1.000	25.4	15	6.8	1000	200	VRF-500x1375-16
VRF-500x1500-16	0.500	12.70	1.500	38.10	1.000	25.4	16	7.3	1000	200	VRF-500x1500-16
VRF-500x2000-16	0.500	12.70	2.000	50.80	1.000	25.4	17	7.7	800	160	VRF-500x2000-16
VRF-500x3375-16	0.500	12.70	3.375	85.72	1.000	25.4	15	6.8	500	100	VRF-500x3375-16
VRF-625x1750-16	0.625	15.87	1.750	44.45	1.000	25.4	16	7.3	800	160	VRF-625x1750-16
VRF-750x1000-16	0.750	19.05	1.000	25.40	1.000	25.4	14	6.4	1000	200	VRF-750x1000-16
VRF-750x1125-16	0.750	19.05	1.125	28.57	1.000	25.4	15	6.8	1000	200	VRF-750x1125-16
VRF-1000x2000-16	1.000	25.40	2.000	50.80	1.000	25.4	16	7.3	600	120	VRF-1000x2000-16
VRF-1062x2500-16	1.062	26.97	2.500	63.50	1.000	25.4	18	8.2	500	100	VRF-1062x2500-16

Lengths (C Dimension) are available in 1/16" (1.6mm) increments. Length tolerance is ±1/16" (1.6mm).



CAPS Polaris Vinyl

VRR Series Vinyl Rectangular Caps & Grips (round end)




EXPANDED



Designed to fit most rectangular tubes and bars, Series VRR Vinyl Rectangular Caps and Grips feature a flat, rounded end. These caps have many applications, including handle grips, paint shields, end caps and ESD covers. They slip on quickly and easily, and maintain a snug fit. Printing is available for Series VRR, which comes in 9 standard colors.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock



Note:

- VRR-062x312 through VRR-062x1250 have various maximum lengths of up to 4".
- VRR-080x875 through VRR-500x1000 have various maximum lengths of up to 8".

New sizes are always being added.

VOR Series Vinyl O-Rings

NEW



Series VOR Vinyl O-rings are designed to protect tube ends. Typically used in the automotive, scuba equipment and painting industries, these O-rings provide maximum protection against sharp edges. Available in several common sizes, Series VOR slip on easily and maintain a snug fit.



MATERIAL: Vinyl
COLORS*: White, Black, Brown, Orange, Red, Green, Grey, Blue, Yellow – Call factory for colors in stock

