



Dimensioni Dimensions

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
1,15	1,00	11A001						R000		
1,50	1,00	11B015								
1,80	1,00	11B018								
2,00	1,00	11B021								
2,50	1,00	11B027								
3,00	1,00	11B030								
3,50	1,00	11B031								
4,00	1,00	11B033								
4,50	1,00	11B034								
5,00	1,00	11B036								
5,50	1,00	11B037								
6,00	1,00	11B039								
6,50	1,00	11B038								
7,00	1,00	11B041								
7,50	1,00	11B043								
8,00	1,00	11B042								
8,50	1,00	11B045								
9,00	1,00	11B048								
9,50	1,00	11B047								
10,00	1,00	11B050								
10,50	1,00	11B052								
11,00	1,00	11B053								
11,50	1,00	11B046								
12,00	1,00	11B054								
12,50	1,00	11B044								
13,00	1,00	11B057								
13,50	1,00	11B035								
14,00	1,00	11B055								
14,50	1,00	11B074								
15,00	1,00	11B061								
15,50	1,00	11B076								
16,00	1,00	11B060								
16,50	1,00	11B077								
17,00	1,00	11B056								
17,50	1,00	11B091								
18,00	1,00	11B062								
18,50	1,00	11B092								
19,00	1,00	11B063								
19,50	1,00	11B106								
20,00	1,00	11B067								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
20,50	1,00	11B107								
21,00	1,00	11B065								
21,50	1,00	11B109								
22,00	1,00	11B064								
22,50	1,00	11B112								
23,00	1,00	11B071								
23,50	1,00	11B113								
24,00	1,00	11B068								
24,50	1,00	11B118								
25,00	1,00	11B070								
0,74	1,02	11A002		'001						
1,78	1,02	11A003			606					
1,07	1,27	11A004		'002						
4,70	1,42	11A005			901					
1,85	1,50	11B153								
2,00	1,50	11B156								
2,50	1,50	11B158								
2,80	1,50	11B160								
3,00	1,50	11B162								
3,50	1,50	11B165								
4,00	1,50	11B171								
4,50	1,50	11B174								
5,00	1,50	11B177								
5,50	1,50	11B180								
6,00	1,50	11B183								
6,50	1,50	11B186								
7,00	1,50	11B188								
7,50	1,50	11B189								
8,00	1,50	11B192								
8,50	1,50	11B195								
9,00	1,50	11B198								
9,50	1,50	11B200								
10,00	1,50	11B201								
10,50	1,50	11B202								
11,00	1,50	11B204								
11,50	1,50	11B207								
12,00	1,50	11B210								
12,50	1,50	11B213								
13,00	1,50	11B216								
13,50	1,50	11B217								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
14,00	1,50	11B219								
14,50	1,50	11B220								
15,00	1,50	11B222								
15,50	1,50	11B223								
16,00	1,50	11B225								
16,50	1,50	11B228								
17,00	1,50	11B231								
17,50	1,50	11B232								
18,00	1,50	11B234								
18,50	1,50	11B235								
19,00	1,50	11B237								
19,50	1,50	11B240								
20,00	1,50	11B243								
20,50	1,50	11B244								
21,00	1,50	11B246								
21,50	1,50	11B249								
22,00	1,50	11B252								
22,50	1,50	11B253								
23,00	1,50	11B255								
23,50	1,50	11B256								
24,00	1,50	11B258								
24,50	1,50	11B259								
25,00	1,50	11B261								
25,50	1,50	11B262								
26,00	1,50	11B264								
26,50	1,50	11B265								
27,00	1,50	11B266								
27,50	1,50	11B267								
28,00	1,50	11B268								
28,50	1,50	11B263								
29,00	1,50	11B269								
29,50	1,50	11B271								
30,00	1,50	11B270								
30,50	1,50	11B272								
31,00	1,50	11B273								
31,50	1,50	11B275								
32,00	1,50	11B274								
32,50	1,50	11B260								
33,00	1,50	11B276								
33,50	1,50	11B257								
34,00	1,50	11B277								
34,50	1,50	11B254								
35,00	1,50	11B279								
35,50	1,50	11B251								
36,00	1,50	11B278								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
36,50	1,50	11B250								
37,00	1,50	11B280								
37,50	1,50	11B248								
38,00	1,50	11B281								
38,50	1,50	11B247								
39,00	1,50	11B282								
39,50	1,50	11B245								
40,00	1,50	11B285								
41,00	1,50	11B242								
42,00	1,50	11B286								
43,00	1,50	11B241								
44,00	1,50	11B307								
45,00	1,50	11B287								
46,00	1,50	11B239								
47,00	1,50	11B289								
48,00	1,50	11B238								
49,00	1,50	11B236								
50,00	1,50	11B291								
51,00	1,50	11B310								
52,00	1,50	11B295								
53,00	1,50	11B316								
54,00	1,50	11B296								
55,00	1,50	11B298								
56,00	1,50	11B311								
57,00	1,50	11B300								
58,00	1,50	11B299								
59,00	1,50	11B313								
60,00	1,50	11B301								
61,00	1,50	11B317								
62,00	1,50	11B302								
63,00	1,50	11B314								
64,00	1,50	11B326								
65,00	1,50	11B320								
66,00	1,50	11B290								
67,00	1,50	11B322								
68,00	1,50	11B233								
69,00	1,50	11B230								
70,00	1,50	11B305								
71,00	1,50	11B229								
72,00	1,50	11B227								
73,00	1,50	11B283								
74,00	1,50	11B226								
75,00	1,50	11B224								
76,00	1,50	11B337								
77,00	1,50	11B338								



Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
78,00	1,50	11B340								
79,00	1,50	11B343								
80,00	1,50	11B284								
81,00	1,50	11B344								
82,00	1,50	11B349								
83,00	1,50	11B350								
84,00	1,50	11B352								
85,00	1,50	11B359								
86,00	1,50	11B361								
87,00	1,50	11B362								
88,00	1,50	11B364								
89,00	1,50	11B368								
90,00	1,50	11B335								
91,00	1,50	11B370								
92,00	1,50	11B371								
93,00	1,50	11B373								
94,00	1,50	11B385								
95,00	1,50	11B386								
96,00	1,50	11B388								
97,00	1,50	11B436								
98,00	1,50	11B437								
99,00	1,50	11B439								
100,00	1,50	11B440								
1,42	1,52	11A006		'003						
2,20	1,60	11A007						R00		
2,75	1,60	11A008							R1b	
3,10	1,60	11A009								
4,10	1,60	11A010								
4,70	1,60	11A011								
5,00	1,60	11A012								
5,10	1,60	11A013								
6,10	1,60	11A014								
7,10	1,60	11A015								
8,10	1,60	11A016								
9,10	1,60	11A017								
10,10	1,60	11A018								
11,10	1,60	11A019								
12,10	1,60	11A020								
13,10	1,60	11A021								
14,10	1,60	11A022								
15,10	1,60	11A023								
16,10	1,60	11A024								
17,10	1,60	11B955								
18,10	1,60	11B956								
19,10	1,60	11A025								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
20,10	1,60	11A026								
21,10	1,60	11A027								
22,10	1,60	11A028								
25,10	1,60	11A029								
27,10	1,60	11A030								
29,10	1,60	11A031								
32,10	1,60	11A032								
35,10	1,60	11A033								
37,10	1,60	11A034								
6,07	1,63	11A035								902
7,65	1,63	11A036								903
1,78	1,78	11A037	2007	'004						
2,57	1,78	11A038	2010	'005						
2,90	1,78	11A039	2012	'006						801
3,17	1,78	11B347								
3,68	1,78	11A040	2015	'007						
4,47	1,78	11A041	2018	'008						802
4,76	1,78	11B353								
5,28	1,78	11A042	2021	'009						
6,07	1,78	11A043	2025	'010						
6,35	1,78	11A044								803
6,75	1,78	11A045	106							610
7,65	1,78	11A046	2031	'011						
7,94	1,78	11B356								804
8,73	1,78	11A047								611
9,25	1,78	11A048	2037	'012						
9,52	1,78	11A049								
10,82	1,78	11A050	2043	'013						
11,11	1,78	11A051	114							806
12,42	1,78	11A052	2050	'014						
14,00	1,78	11A053	2056	'015						
15,60	1,78	11A054	2062	'016						
17,17	1,78	11A055	2068	'017						
18,77	1,78	11A056	2075	'018						
20,35	1,78	11A057	2081	'019						
21,95	1,78	11A058	2087	'020						
23,52	1,78	11A059	2093	'021						
25,12	1,78	11A060	2100	'022						
26,70	1,78	11A061	2106	'023						
28,30	1,78	11A062	2112	'024						
29,87	1,78	11A063	2118	'025						
31,47	1,78	11A064	2125	'026						
33,05	1,78	11A065	2131	'027						
34,65	1,78	11A066	2137	'028						
36,27	1,78	11A374								517

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
37,82	1,78	11A067	2150	'029						
39,45	1,78	11A379			519					
41,00	1,78	11A068	2162	'030						
44,17	1,78	11A069	2175	'031						
47,35	1,78	11A070	2187	'032						
50,52	1,78	11A071	2200	'033						
53,70	1,78	11A072	2212	'034						
56,87	1,78	11A073	2225	'035						
60,04	1,78	11A074	2237	'036						
63,22	1,78	11A075	2250	'037						
66,40	1,78	11A076	2262	'038						
69,57	1,78	11A077	2275	'039						
72,75	1,78	11A078	2287	'040						
75,92	1,78	11A079	2300	'041						
79,00	1,78	11B395	2312		532					
82,27	1,78	11A080	2325	'042						
85,34	1,78	11B397	2337		534					
88,62	1,78	11A081	2350	'043						
91,70	1,78	11B398	2362		536					
94,97	1,78	11A082	2375	'044						
98,05	1,78	11B400	2387		538					
101,32	1,78	11A083	2400	'045						
104,40	1,78	11B401	2412		540					
107,67	1,78	11A084	2425	'046						
110,74	1,78	11B403	2437		542					
114,02	1,78	11A085	2450	'047						
117,10	1,78	11B404	2462		544					
120,37	1,78	11A086	2475	'048						
123,44	1,78	11B406	2487		546					
126,72	1,78	11A087	2500	'049						
129,40	1,78	11B407	2512		548					
133,07	1,78	11A088	2525	'050						
135,76	1,78	11B410	2537		550					
138,94	1,78	11B412	2550		551					
142,11	1,78	11B413	2562		552					
145,29	1,78	11B415	2575		553					
148,46	1,78	11B416	2587		554					
151,64	1,78	11B418	2600		555					
154,81	1,78	11B419	2612		556					
158,00	1,78	11B421	2625		557					
161,16	1,78	11B422	2637		558					
164,34	1,78	11B424	2652		559					
167,51	1,78	11B425	2662		560					
170,69	1,78	11B427	2675		561					
173,87	1,78	11B428	2687		562					

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
1,80	1,80	11B430						G		*
2,00	1,80	11B431						G		*
2,24	1,80	11B443						G		*
2,50	1,80	11B393						G		*
2,80	1,80	11B396						G		*
3,15	1,80	11B402						G		*
3,55	1,80	11B445						G		*
3,75	1,80	11B446						G		*
4,00	1,80	11B448						G		*
4,50	1,80	11B411						G		*
4,87	1,80	11B449						G		*
5,00	1,80	11B414						G		*
5,15	1,80	11B454						G		*
5,30	1,80	11B417						G		*
5,60	1,80	11B455						G		*
6,00	1,80	11B420						G		*
6,30	1,80	11B469						G		*
6,70	1,80	11B423						G		*
6,90	1,80	11B470						G		*
7,10	1,80	11B473						G		*
7,50	1,80	11B429						G		*
8,00	1,80	11B475						G		*
8,50	1,80	11B476						G		*
8,76	1,80	11B478						G		*
9,00	1,80	11B479						G		*
9,50	1,80	11B435						G		*
10,00	1,80	11B481						G		*
10,60	1,80	11B438						G		*
11,20	1,80	11B482						G		*
11,80	1,80	11B484						G		*
12,50	1,80	11B441						G		*
13,20	1,80	11B485						G		*
14,00	1,80	11B444						G		*
15,00	1,80	11B488						G		*
16,00	1,80	11B491						G		*
17,00	1,80	11B494						G		*
8,92	1,83	11A089								
10,52	1,83	11A090								
2,40	1,90	11A091								
2,60	1,90	11A092								
2,80	1,90	11BA00								P3
3,40	1,90	11A093								
3,80	1,90	11BA03								P4
4,20	1,90	11A094								
4,80	1,90	11BA04								P5



Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
4,90	1,90	11A095						R4		
5,70	1,90	11A096						R5		
5,80	1,90	11B958							P6	
6,40	1,90	11A097						R5a		
6,80	1,90	11B959							P7	
7,20	1,90	11A098						R6		
7,80	1,90	11B961							P8	
8,00	1,90	11A099						R6a		
8,80	1,90	11B962							P9	
8,90	1,90	11A100						R7		
9,80	1,90	11B964							P10	
11,89	1,98	11A101			906					
2,50	2,00	11B461								
3,00	2,00	11B462								
3,50	2,00	11B466								
4,00	2,00	11B465								
4,50	2,00	11B467								
5,00	2,00	11B471								
5,50	2,00	11B472								
6,00	2,00	11B474								
6,50	2,00	11B477								
7,00	2,00	11B480								
7,50	2,00	11B483								
8,00	2,00	11B486								
8,50	2,00	11B487								
9,00	2,00	11B489								
9,50	2,00	11B490								
10,00	2,00	11B492								
10,50	2,00	11B493								
11,00	2,00	11B495								
11,50	2,00	11B496								
12,00	2,00	11B498								
12,50	2,00	11B501								
13,00	2,00	11B504								
13,50	2,00	11B505								
14,00	2,00	11B510								
14,50	2,00	11B514								
15,00	2,00	11B516								
15,50	2,00	11B517								
16,00	2,00	11B519								
16,50	2,00	11B520								
17,00	2,00	11B522								
17,50	2,00	11B523								
18,00	2,00	11B525								
18,50	2,00	11B527								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
19,00	2,00	11B528								
19,50	2,00	11B529								
20,00	2,00	11B531								
20,50	2,00	11B532								
21,00	2,00	11B534								
21,50	2,00	11B535								
22,00	2,00	11B537								
22,50	2,00	11B538								
23,00	2,00	11B540								
23,50	2,00	11B541								
24,00	2,00	11B543								
24,50	2,00	11B544								
25,00	2,00	11B546								
25,50	2,00	11B547								
26,00	2,00	11B549								
26,50	2,00	11B550								
27,00	2,00	11B552								
27,50	2,00	11B553								
28,00	2,00	11B555								
28,50	2,00	11B556								
29,00	2,00	11B557								
29,50	2,00	11B559								
30,00	2,00	11B561								
30,50	2,00	11B562								
31,00	2,00	11B564								
31,50	2,00	11B565								
32,00	2,00	11B567								
32,50	2,00	11B568								
33,00	2,00	11B570								
33,50	2,00	11B573								
34,00	2,00	11B576								
34,50	2,00	11B577								
35,00	2,00	11B579								
35,50	2,00	11B580								
36,00	2,00	11B582								
36,50	2,00	11B583								
37,00	2,00	11B585								
37,50	2,00	11B586								
38,00	2,00	11B588								
38,50	2,00	11B589								
39,00	2,00	11B591								
39,50	2,00	11B592								
40,00	2,00	11B594								
41,00	2,00	11B597								
42,00	2,00	11B600								