

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518 SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
43,00	2,00	11B603							
44,00	2,00	11B605							
45,00	2,00	11B609							
46,00	2,00	11B612							
47,00	2,00	11B615							
48,00	2,00	11B616							
49,00	2,00	11B617							
50,00	2,00	11B618							
51,00	2,00	11B619							
52,00	2,00	11B620							
53,00	2,00	11B621							
54,00	2,00	11B624							
55,00	2,00	11B627							
56,00	2,00	11B630							
57,00	2,00	11B633							
58,00	2,00	11B636							
59,00	2,00	11B637							
60,00	2,00	11B639							
61,00	2,00	11B641							
62,00	2,00	11B642							
63,00	2,00	11B645							
64,00	2,00	11B646							
65,00	2,00	11B648							
66,00	2,00	11B649							
67,00	2,00	11B650							
68,00	2,00	11B651							
69,00	2,00	11B652							
70,00	2,00	11B654							
71,00	2,00	11B653							
72,00	2,00	11B655							
73,00	2,00	11B656							
74,00	2,00	11B657							
75,00	2,00	11B659							
76,00	2,00	11B660							
77,00	2,00	11B661							
78,00	2,00	11B663							
79,00	2,00	11B664							
80,00	2,00	11B666							
81,00	2,00	11B667							
82,00	2,00	11B668							
83,00	2,00	11B670							
84,00	2,00	11B669							
85,00	2,00	11B672							
86,00	2,00	11B675							
87,00	2,00	11B676							

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518 SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
88,00	2,00	11B678							
89,00	2,00	11B679							
90,00	2,00	11B681							
91,00	2,00	11B682							
92,00	2,00	11B683							
93,00	2,00	11B684							
94,00	2,00	11B687							
95,00	2,00	11B688							
96,00	2,00	11B690							
97,00	2,00	11B689							
98,00	2,00	11B691							
99,00	2,00	11B692							
100,00	2,00	11B693							
13,46	2,08	11A102			907				
6,00	2,20	11A103					R6b		
16,36	2,21	11A104			908				
3,30	2,40	11A105							
3,60	2,40	11A106							
4,30	2,40	11A107							
4,60	2,40	11A108							
5,30	2,40	11A109							
5,50	2,40	11A110							
5,60	2,40	11A111							
6,30	2,40	11A112							
6,60	2,40	11A113							
7,30	2,40	11A114							
7,50	2,40	11A115							
7,60	2,40	11A116							
8,30	2,40	11A117							
8,60	2,40	11A118							
9,30	2,40	11A119							
9,60	2,40	11A120							
9,80	2,40	11BA06							
10,30	2,40	11A121							P10A
10,50	2,40	11A122							
10,60	2,40	11A123							
10,80	2,40	11BA09							P11
11,00	2,40	11BA10							P11.2
11,30	2,40	11A124							
11,50	2,40	11A125							
11,60	2,40	11A126							
11,80	2,40	11BB23							P12
12,30	2,40	11A127							P12,5
12,60	2,40	11A128							
13,30	2,40	11A129							



Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCH NF T 47-501	JIS 2401	ISO/DIN
13,50	2,40	11A130								
13,60	2,40	11A131								
13,80	2,40	11B965				*			P14	
14,30	2,40	11A132					*			
14,50	2,40	11A133								
14,60	2,40	11A134				*				
14,80	2,40	11B967							P15	
15,30	2,40	11A135					*			
15,50	2,40	11A136								
15,60	2,40	11A137				*				
15,80	2,40	11B968							P16	
16,30	2,40	11A138					*			
16,60	2,40	11A139								
17,30	2,40	11A140					*			
17,50	2,40	11A141								
17,60	2,40	11A142				*				
17,80	2,40	11B970							P18	
18,30	2,40	11B971					*			
18,60	2,40	11A143				*				
19,30	2,40	11B973					*			
19,60	2,40	11A144				*				
19,80	2,40	11B974							P20	
20,30	2,40	11B976					*			
20,50	2,40	11A145								
20,60	2,40	11B977				*				
20,80	2,40	11B979							P21	
21,30	2,40	11B980				*				
21,50	2,40	11A146								
21,60	2,40	11A147				*				
21,80	2,40	11B982							P22	
22,30	2,40	11B985				*				
23,30	2,40	11B986				*				
23,50	2,40	11A148								
24,50	2,40	11A149								
24,60	2,40	11A150				*				
25,00	2,40	11A151								
25,30	2,40	11B988				*		R19b		
27,30	2,40	11B991				*				
27,50	2,40	11A152								
27,60	2,40	11A153				*				
29,60	2,40	11A154				*				
30,30	2,40	11B992				*				
31,60	2,40	11A155				*				
33,30	2,40	11B994				*				
34,60	2,40	11A156				*				

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCH NF T 47-501	JIS 2401	ISO/DIN
35,60	2,40	11BB24								
37,60	2,40	11A157				*				
39,60	2,40	11A158				*				
41,60	2,40	11A159				*				
44,60	2,40	11A160				*				
45,60	2,40	11BB26				*				
47,60	2,40	11A161				*				
49,60	2,40	11A162				*				
51,60	2,40	11A163				*				
54,60	2,40	11A164				*				
55,60	2,40	11BB27				*				
57,60	2,40	11A165				*				
58,60	2,40	11BB29				*				
59,60	2,40	11A166				*				
61,60	2,40	11A167				*				
62,60	2,40	11BB30				*				
64,60	2,40	11A168				*				
67,60	2,40	11A169				*				
69,60	2,40	11A170				*				
17,93	2,46	11A171							909	
19,18	2,46	11A172							910	
4,00	2,50	11B812								
4,60	2,50	11B803								
5,00	2,50	11B804								
5,50	2,50	11B815								
6,00	2,50	11B806								
6,50	2,50	11B817								
7,00	2,50	11B807								
7,50	2,50	11B809								
8,00	2,50	11A173								
8,50	2,50	11B818								
9,00	2,50	11B813								
9,50	2,50	11B814								
10,00	2,50	11B816								
10,50	2,50	11B820								
11,00	2,50	11B819								
11,50	2,50	11B822								
12,00	2,50	11B828								
12,50	2,50	11B831								
13,00	2,50	11B834								
13,50	2,50	11B836								
14,00	2,50	11A174								
14,50	2,50	11B841								
15,00	2,50	11A175								
15,50	2,50	11B844								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
16,00	2,50	11A176								
16,50	2,50	11B847								
17,00	2,50	11B849								
17,50	2,50	11B851								
18,00	2,50	11B855								
18,50	2,50	11B858								
19,00	2,50	11B861								
19,50	2,50	11B862								
20,00	2,50	11A177								
20,50	2,50	11B865								
21,00	2,50	11B867								
21,50	2,50	11B868								
22,00	2,50	11B870								
22,50	2,50	11B871								
23,00	2,50	11B873								
23,50	2,50	11B874								
24,00	2,50	11B876								
24,50	2,50	11B877								
25,00	2,50	11B879								
25,50	2,50	11B885								
26,00	2,50	11B891								
26,50	2,50	11B892								
27,00	2,50	11B894								
27,50	2,50	11B895								
28,00	2,50	11B897								
28,50	2,50	11B898								
29,00	2,50	11B900								
29,50	2,50	11B901								
30,00	2,50	11B903								
30,50	2,50	11B904								
31,00	2,50	11B906								
31,50	2,50	11B907								
32,00	2,50	11B909								
32,50	2,50	11B910								
33,00	2,50	11B912								
33,50	2,50	11B913								
34,00	2,50	11B915								
34,50	2,50	11B916								
35,00	2,50	11B918								
35,50	2,50	11B919								
36,00	2,50	11B921								
37,50	2,50	11B920								
38,00	2,50	11B924								
38,50	2,50	11B925								
39,00	2,50	11B927								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
39,50	2,50	11B922								
39,50	2,50	11B928								
40,00	2,50	11B923								
40,00	2,50	11B930								
41,00	2,50	11B933								
42,00	2,50	11B936								
43,00	2,50	11B939								
44,00	2,50	11B942								
45,00	2,50	11B945								
46,00	2,50	11B948								
47,00	2,50	11B951								
48,00	2,50	11B954								
49,00	2,50	11B957								
50,00	2,50	11B960								
51,00	2,50	11B963								
52,00	2,50	11B966								
53,00	2,50	11B969								
54,00	2,50	11B972								
55,00	2,50	11B975								
56,00	2,50	11B978								
57,00	2,50	11B981								
58,00	2,50	11B983								
59,00	2,50	11B984								
60,00	2,50	11B987								
61,00	2,50	11B989								
62,00	2,50	11B990								
63,00	2,50	11B993								
64,00	2,50	11B995								
65,00	2,50	11B996								
66,00	2,50	11B997								
67,00	2,50	11B999								
68,00	2,50	11BA01								
69,00	2,50	11BA02								
70,00	2,50	11BA05								
71,00	2,50	11BA07								
72,00	2,50	11BA08								
73,00	2,50	11BA11								
74,00	2,50	11BA12								
75,00	2,50	11BA14								
76,00	2,50	11BA17								
77,00	2,50	11BA20								
78,00	2,50	11BA23								
79,00	2,50	11BA25								
80,00	2,50	11BA26								
81,00	2,50	11BA27								



Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
82,00	2,50	11BA28								
83,00	2,50	11BA30								
84,00	2,50	11BA29								
85,00	2,50	11BA31								
86,00	2,50	11BA33								
87,00	2,50	11BA34								
88,00	2,50	11BA36								
89,00	2,50	11BA37								
90,00	2,50	11BA38								
91,00	2,50	11BA40								
92,00	2,50	11BA42								
93,00	2,50	11BA43								
94,00	2,50	11BA44								
95,00	2,50	11BA47								
96,00	2,50	11BA48								
97,00	2,50	11BA49								
98,00	2,50	11BA51								
99,00	2,50	11BA50								
100,00	2,50	11BA53								
101,00	2,50	11BA54								
102,00	2,50	11BA55								
103,00	2,50	11BA57								
104,00	2,50	11BA52								
105,00	2,50	11BA46								
106,00	2,50	11BA58								
107,00	2,50	11BA59								
108,00	2,50	11BA45								
109,00	2,50	11BA39								
110,00	2,50	11BA60								
111,00	2,50	11BA24								
112,00	2,50	11BA22								
113,00	2,50	11BA21								
114,00	2,50	11BA61								
115,00	2,50	11BA62								
116,00	2,50	11BA63								
117,00	2,50	11BA64								
118,00	2,50	11BA19								
119,00	2,50	11BA18								
120,00	2,50	11BA65								
121,00	2,50	11BA16								
122,00	2,50	11BA66								
123,00	2,50	11BA67								
124,00	2,50	11BA69								
125,00	2,50	11BA68								
126,00	2,50	11BA71								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
127,00	2,50	11BA70								
128,00	2,50	11BA72								
129,00	2,50	11BA73								
130,00	2,50	11BA74								
131,00	2,50	11BA75								
132,00	2,50	11BA77								
133,00	2,50	11BA78								
134,00	2,50	11BA79								
135,00	2,50	11BA80								
136,00	2,50	11BA81								
137,00	2,50	11BA90								
138,00	2,50	11BA91								
139,00	2,50	11BA93								
140,00	2,50	11BA82								
141,00	2,50	11BA84								
142,00	2,50	11BA83								
143,00	2,50	11BA94								
144,00	2,50	11BA85								
145,00	2,50	11BA86								
146,00	2,50	11BA96								
147,00	2,50	11BA97								
148,00	2,50	11BA99								
149,00	2,50	11BA87								
150,00	2,50	11BA88								
29,10	2,55	11A178								R20b
1,24	2,62	11A179		'102						
2,06	2,62	11A180		'103						
2,84	2,62	11A181		'104						
3,63	2,62	11A182		'105						
4,42	2,62	11A183		'106						
5,23	2,62	11A184	3021	'107						
6,02	2,62	11A185	3024	'108						
7,59	2,62	11A186	3030	'109						
9,13	2,62	11A187	109							
9,19	2,62	11A188	3037	'110						
9,90	2,62	11A189	112		613					
10,77	2,62	11A190	3043	'111						
11,91	2,62	11A191	115		614					
12,37	2,62	11A192	3050	'112						
12,70	2,62	11BB36			807					
13,10	2,62	11A193	117		615					
13,94	2,62	11A194	3056	'113						
15,08	2,62	11A195	119		615					
15,54	2,62	11A196	3062	'114						
15,88	2,62	11A197	121		809					

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
17,12	2,62	11A198	3068	'115						
17,46	2,62	11BB44			810					
17,86	2,62	11A199	123		617					
18,72	2,62	11A200	3075	'116						
20,30	2,62	11A201	3081	'117						
20,64	2,62	11A202			812					
21,89	2,62	11A203	3087	'118						
22,23	2,62	11A204	130		813					
23,47	2,62	11A205	3093	'119						
23,81	2,62	11A206	132		814					
25,07	2,62	11A207	3100	'120						
26,64	2,62	11A208	3106	'121						
28,24	2,62	11A209	3112	'122						
29,82	2,62	11A210	3118	'123						
31,42	2,62	11A211	3125	'125						
32,99	2,62	11A212	3131	'125						
34,59	2,62	11A213	3137	'126						
36,17	2,62	11A214	3143	'127						
37,77	2,62	11A215	3150	'128						
39,34	2,62	11A216	3156	'129						
40,94	2,62	11A217	3162	'130						
42,52	2,62	11A218	3168	'131						
44,12	2,62	11A219	3175	'132						
45,69	2,62	11A220	3181	'133						
47,29	2,62	11A221	3187	'134						
48,90	2,62	11A222	3193	'135						
50,47	2,62	11A223	3200	'136						
52,07	2,62	11A224	3206	'137						
53,64	2,62	11A225	3212	'138						
55,25	2,62	11A226	3218	'139						
56,82	2,62	11A227	3225	'140						
58,42	2,62	11A228	3231	'141						
59,99	2,62	11A229	3237	'142						
61,60	2,62	11A230	3243	'143						
63,17	2,62	11A231	3250	'144						
64,77	2,62	11A232	3256	'145						
66,34	2,62	11A233	3262	'146						
67,95	2,62	11A234	3268	'147						
69,52	2,62	11A235	3275	'148						
71,12	2,62	11A236	3281	'149						
72,69	2,62	11A237	3287	'150						
74,30	2,62	11BB89			640					
75,87	2,62	11A238	3300	'151						
77,50	2,62	11BB90			641					
80,60	2,62	11BB92			642					

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
82,22	2,62	11A239	3225	'152						
83,80	2,62	11BB95			643					
88,57	2,62	11A240	3350	'153						
94,92	2,62	11A241	3375	'154						
101,27	2,62	11A242	3400	'155						
107,62	2,62	11A243	3425	'156						
113,97	2,62	11A244	3450	'157						
120,32	2,62	11A245	3475	'158						
126,67	2,62	11A246	3500	'159						
133,02	2,62	11A247	3525	'160						
139,37	2,62	11A248	3550	'161						
145,72	2,62	11A249	3575	'162						
152,07	2,62	11A250	3600	'163						
158,42	2,62	11A251	3625	'164						
164,77	2,62	11A252	3650	'165						
171,12	2,62	11A253	3675	'166						
177,47	2,62	11A254	3700	'167						
183,82	2,62	11A255	3725	'168						
190,17	2,62	11A256	3750	'169						
196,52	2,62	11A257	3775	'170						
202,87	2,62	11A258	3800	'171						
209,22	2,62	11A259	3825	'172						
215,57	2,62	11A260	3850	'173						
221,92	2,62	11A261	3875	'174						
228,27	2,62	11A262	3900	'175						
234,62	2,62	11A263	3925	'176						
240,97	2,62	11A264	3950	'177						
247,32	2,62	11A265	3975	'178						
14,00	2,65	11BC15						G		*
15,00	2,65	11BC16						G		*
16,00	2,65	11BC17						G		*
17,00	2,65	11BC18						G		*
18,00	2,65	11BC24						G		*
19,00	2,65	11BC28						G		*
20,00	2,65	11BC29						G		*
21,20	2,65	11BC31						G		*
22,40	2,65	11BC32						G		*
23,60	2,65	11BC33						G		*
25,00	2,65	11BC36						G		*
25,80	2,65	11BC40						G		*
26,50	2,65	11BC42						G		*
28,00	2,65	11BC45						G		*
30,00	2,65	11BC51						G		*
31,50	2,65	11BC57						G		*
32,50	2,65	11BC59						G		*