

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
34,70	3,50	11BM07							P35	
35,00	3,50	11BM03								
35,00	3,50	11BM06								
35,20	3,50	11BM08							P35,5	
35,70	3,50	11BM10							P36	
36,00	3,50	11BM09								
37,70	3,50	11BM11							P38	
38,00	3,50	11BM21								
38,70	3,50	11BM13							P39	
39,00	3,50	11BM15								
39,00	3,50	11BM22								
39,70	3,50	11BM14							P40	
40,00	3,50	11BM23								
40,70	3,50	11BM16							P41	
41,00	3,50	11BM25								
41,70	3,50	11BM17							P42	
42,00	3,50	11BM24								
43,70	3,50	11BM19							P44	
44,00	3,50	11BM30								
44,70	3,50	11BM20							P45	
45,00	3,50	11BM27								
45,00	3,50	11BM33							P46	
45,70	3,50	11BM26								
46,00	3,50	11BM36								
47,70	3,50	11BM28							P48	
48,00	3,50	11BM42								
48,70	3,50	11BM29							P49	
49,00	3,50	11BM39								
49,00	3,50	11BM45								
49,70	3,50	11BM02							P50	
50,00	3,50	11BM48								
51,00	3,50	11BM52								
52,00	3,50	11BM54								
53,00	3,50	11BM57								
54,00	3,50	11BM58								
55,00	3,50	11BM60								
56,00	3,50	11BM61								
57,00	3,50	11BM62								
58,00	3,50	11BM63								
59,00	3,50	11BM66								
60,00	3,50	11BM69								
61,00	3,50	11BM70								
62,00	3,50	11BM71								
63,00	3,50	11BM72								
64,00	3,50	11BM75								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
65,00	3,50	11BM77								
66,00	3,50	11BM80								
67,00	3,50	11BM82								
68,00	3,50	11BM85								
69,00	3,50	11BM83								
70,00	3,50	11BM87								
71,00	3,50	11BM90								
72,00	3,50	11BM91								
73,00	3,50	11BM92								
74,00	3,50	11BM94								
75,00	3,50	11BM95								
76,00	3,50	11BM97								
77,00	3,50	11BM96								
78,00	3,50	11BM99								
79,00	3,50	11BN00								
80,00	3,50	11BN02								
81,00	3,50	11BN04								
82,00	3,50	11BN08								
83,00	3,50	11BN09								
84,00	3,50	11BN10								
85,00	3,50	11BN11								
86,00	3,50	11BN12								
87,00	3,50	11BN13								
88,00	3,50	11BN14								
89,00	3,50	11BN15								
90,00	3,50	11BN17								
91,00	3,50	11BN18								
92,00	3,50	11BN16								
93,00	3,50	11BN21								
94,00	3,50	11BN19								
95,00	3,50	11BN22								
96,00	3,50	11BN24								
97,00	3,50	11BN23								
98,00	3,50	11BN26								
99,00	3,50	11BN27								
100,00	3,50	11BN29								
101,00	3,50	11BN31								
102,00	3,50	11BN33								
103,00	3,50	11BN35								
104,00	3,50	11BN36								
105,00	3,50	11BN38								
106,00	3,50	11BN37								
107,00	3,50	11BN39								
108,00	3,50	11BN40								
109,00	3,50	11BN42								



Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
110,00	3,50	11BN41								
111,00	3,50	11BN45								
112,00	3,50	11BN43								
113,00	3,50	11BN44								
114,00	3,50	11BN47								
115,00	3,50	11BN50								
116,00	3,50	11BN53								
117,00	3,50	11BN34								
118,00	3,50	11BN30								
119,00	3,50	11BN55								
120,00	3,50	11BN56								
121,00	3,50	11BN28								
122,00	3,50	11BN59								
123,00	3,50	11BN62								
124,00	3,50	11BN07								
125,00	3,50	11BN65								
126,00	3,50	11BN68								
127,00	3,50	11BN06								
128,00	3,50	11BN03								
129,00	3,50	11BN01								
130,00	3,50	11BM98								
131,00	3,50	11BN64								
132,00	3,50	11BN70								
133,00	3,50	11BN71								
134,00	3,50	11BM89								
135,00	3,50	11BN72								
136,00	3,50	11BM88								
137,00	3,50	11BM86								
138,00	3,50	11BM79								
139,00	3,50	11BM76								
140,00	3,50	11BM74								
141,00	3,50	11BM73								
142,00	3,50	11BM68								
143,00	3,50	11BM67								
144,00	3,50	11BN66								
145,00	3,50	11BM65								
146,00	3,50	11BM64								
147,00	3,50	11BM59								
148,00	3,50	11BN48								
149,00	3,50	11BM56								
150,00	3,50	11BN76								
151,00	3,50	11BM55								
152,00	3,50	11BN77								
153,00	3,50	11BN51								
154,00	3,50	11BN61								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
155,00	3,50	11BN67								
156,00	3,50	11BN63								
157,00	3,50	11BN79								
158,00	3,50	11BM53								
159,00	3,50	11BN52								
160,00	3,50	11BN82								
161,00	3,50	11BN78								
162,00	3,50	11BN81								
163,00	3,50	11BN85								
164,00	3,50	11BN46								
165,00	3,50	11BM50								
166,00	3,50	11BN73								
167,00	3,50	11BN60								
168,00	3,50	11BN84								
169,00	3,50	11BN87								
170,00	3,50	11BN86								
171,00	3,50	11BM49								
172,00	3,50	11BN58								
173,00	3,50	11BN91								
174,00	3,50	11BN88								
175,00	3,50	11BN75								
176,00	3,50	11BN90								
177,00	3,50	11BM47								
178,00	3,50	11BN92								
179,00	3,50	11BN93								
180,00	3,50	11BN69								
181,00	3,50	11BN54								
182,00	3,50	11BN94								
183,00	3,50	11BM46								
184,00	3,50	11BM44								
185,00	3,50	11BN57								
186,00	3,50	11BN98								
187,00	3,50	11BN97								
188,00	3,50	11BN96								
189,00	3,50	11BO47								
190,00	3,50	11BN99								
191,00	3,50	11BO56								
192,00	3,50	11BO57								
193,00	3,50	11BO50								
194,00	3,50	11BO00								
195,00	3,50	11BO01								
196,00	3,50	11BO59								
197,00	3,50	11BO60								
198,00	3,50	11BO02								
199,00	3,50	11BO06								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
200,00	3,50	11BO03								
201,00	3,50	11BO05								
202,00	3,50	11BO62								
203,00	3,50	11BO63								
204,00	3,50	11BO41								
205,00	3,50	11BO12								
206,00	3,50	11BO65								
207,00	3,50	11BO53								
208,00	3,50	11BO66								
209,00	3,50	11BO68								
210,00	3,50	11BO33								
215,00	3,50	11BO71								
220,00	3,50	11BO36								
225,00	3,50	11BO24								
230,00	3,50	11BO13								
235,00	3,50	11BO98								
240,00	3,50	11BO35								
245,00	3,50	11BO30								
250,00	3,50	11BO16								
255,00	3,50	11BO26								
260,00	3,50	11BO39								
265,00	3,50	11BO38								
270,00	3,50	11BO27								
275,00	3,50	11BP44								
280,00	3,50	11BP53								
285,00	3,50	11BP61								
290,00	3,50	11BP67								
295,00	3,50	11BP73								
300,00	3,50	11BP80								
305,00	3,50	11BP88								
310,00	3,50	11BO29								
315,00	3,50	11BQ00								
320,00	3,50	11BQ06								
325,00	3,50	11BQ13								
330,00	3,50	11BQ21								
335,00	3,50	11BQ28								
340,00	3,50	11BQ36								
345,00	3,50	11BQ43								
350,00	3,50	11BQ51								
351,00	3,50	11BQ52								
355,00	3,50	11BQ58								
360,00	3,50	11BO48								
365,00	3,50	11BQ70								
370,00	3,50	11BQ78								
380,00	3,50	11BQ93								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
390,00	3,50	11BR08								
400,00	3,50	11BR23								
410,00	3,50	11BR53								
420,00	3,50	11BR71								
430,00	3,50	11BR86								
440,00	3,50	11BS01								
4,34	3,53	11A358						'201		
5,94	3,53	11A359						'202		
7,52	3,53	11A360						'203		
9,12	3,53	11A361	4036					'204		
10,69	3,53	11A362	4042					'205		
12,29	3,53	11A363	4050					'206		
13,87	3,53	11A364	4055					'207		
15,47	3,53	11A365	4061					'208		
17,04	3,53	11A366	4067					'209		
18,64	3,53	11A367	4075					'210		
20,22	3,53	11A368	4081					'211		
21,82	3,53	11A369	4087					'212		
23,39	3,53	11A370	4093					'213		
24,99	3,53	11A371	4100					'214		
25,80	3,53	11A372	134					618		
26,57	3,53	11A373	4106					'215		
28,17	3,53	11A374	4112					'216		
29,74	3,53	11A375	4118					'217		
31,34	3,53	11A376	4125					'218		
32,92	3,53	11A377	4131					'219		
34,52	3,53	11A378	4137					'220		
36,09	3,53	11A379	4143					'221		
37,69	3,53	11A380	4150					'222		
39,70	3,53	11A381	144					824		
40,87	3,53	11A382	4162					'223		
41,28	3,53	11A383	146					825		
42,86	3,53	11A384	147					826		
44,04	3,53	11A385	4175					'224		
44,95	3,53	11A386	149					827		
46,04	3,53	11A387	150					828		
47,22	3,53	11A388	4187					'225		
47,62	3,53	11A389	152					829		
49,20	3,53	11A390	153					830		
50,39	3,53	11A391	4200					'226		
50,80	3,53	11A392	155					831		
52,40	3,53	11A393	156					832		
53,57	3,53	11A394	4212					'227		
53,97	3,53	11A395	158					833		
55,56	3,53	11A396	159					834		



Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
56,74	3,53	11A397	4225	'228						
57,15	3,53	11A398	161		835					
58,74	3,53	11A399	162		836					
59,92	3,53	11A400	4237	'229						
60,32	3,53	11A401	164		837					
61,90	3,53	11A402	165		838					
63,09	3,53	11A403	4250	'230						
63,50	3,53	11A404	167		839					
65,10	3,53	11A405	168		840					
66,27	3,53	11A406	4262	'231						
66,67	3,53	11A407	170		841					
68,26	3,53	11A408	171		842					
69,44	3,53	11A409	4275	'232						
69,85	3,53	11A410	173		843					
71,44	3,53	11A411	174		844					
72,62	3,53	11A412	4287	'233						
73,02	3,53	11A413	176		845					
74,60	3,53	11A414	177		846					
75,79	3,53	11A415	4300	'234						
78,97	3,53	11A416	4312	'235						
82,14	3,53	11A417	4325	'236						
85,32	3,53	11A418	4337	'237						
88,49	3,53	11A419	4350	'238						
91,67	3,53	11A420	4362	'239						
94,84	3,53	11A421	4375	'240						
98,02	3,53	11A422	4387	'241						
101,19	3,53	11A423	4400	'242						
104,37	3,53	11A424	4412	'243						
107,54	3,53	11A425	4425	'244						
110,72	3,53	11A426	4437	'245						
113,89	3,53	11A427	4450	'246						
117,07	3,53	11A428	4462	'247						
120,24	3,53	11A429	4475	'248						
123,42	3,53	11A430	4487	'249						
126,59	3,53	11A431	4500	'250						
129,77	3,53	11A432	4512	'251						
132,94	3,53	11A433	4525	'252						
136,12	3,53	11A434	4537	'253						
139,29	3,53	11A435	4550	'254						
142,47	3,53	11A436	4562	'255						
145,64	3,53	11A437	4575	'256						
148,82	3,53	11A438	4587	'257						
151,99	3,53	11A439	4600	'258						
158,34	3,53	11A440	4625	'259						
164,69	3,53	11A441	4650	'260						

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
171,04	3,53	11A442	4675	'261						
177,39	3,53	11A443	4700	'262						
183,74	3,53	11A444	4725	'263						
190,09	3,53	11A445	4750	'264						
196,44	3,53	11A446	4775	'265						
202,79	3,53	11A447	4800	'266						
209,14	3,53	11A448	4825	'267						
215,49	3,53	11A449	4850	'268						
221,84	3,53	11A450	4875	'269						
228,19	3,53	11A451	4900	'270						
234,54	3,53	11A452	4925	'271						
240,89	3,53	11A453	4950	'272						
247,26	3,53	11A454	4975	'273						
253,59	3,53	11A455	41000	'274						
266,29	3,53	11A456	41050	'275						
278,99	3,53	11A457	41100	'276						
291,69	3,53	11A458	41150	'276						
304,39	3,53	11A459	41200	'278						
329,79	3,53	11A460	41300	'279						
355,19	3,53	11A461	41400	'280						
380,59	3,53	11A462	41500	'281						
405,26	3,53	11A463	41600	'282						
430,66	3,53	11A464	41700	'283						
456,06	3,53	11A465	41800	'284						
18,00	3,55	11BP48							G	*
19,00	3,55	11BP51							G	*
20,00	3,55	11BP54							G	*
21,20	3,55	11BI77							G	*
22,40	3,55	11BI79							G	*
23,60	3,55	11BP60							G	*
25,00	3,55	11BP63							G	*
25,80	3,55	11BI86							G	*
26,50	3,55	11BP66							G	*
28,00	3,55	11BP69							G	*
30,00	3,55	11BP72							G	*
31,50	3,55	11BP75							G	*
32,50	3,55	11BI88							G	*
33,50	3,55	11BP78							G	*
34,50	3,55	11BP81							G	*
35,50	3,55	11BI89							G	*
36,50	3,55	11BP84							G	*
37,50	3,55	11BP87							G	*
38,70	3,55	11BI91							G	*
40,00	3,55	11BP90							G	*
41,20	3,55	11BP93							G	*

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISODIN
42,50	3,55	11BI92						G		*
43,70	3,55	11BP96						G		*
45,00	3,55	11BP99						G		*
46,20	3,55	11BQ02						G		*
47,50	3,55	11BQ05						G		*
48,70	3,55	11BQ08						G		*
50,00	3,55	11BQ11						G		*
51,50	3,55	11BI94						G		*
53,00	3,55	11BQ14						G		*
54,50	3,55	11BQ17						G		*
56,00	3,55	11BQ20						G		*
58,00	3,55	11BQ23						G		*
60,00	3,55	11BQ26						G		*
61,50	3,55	11BQ29						G		*
63,00	3,55	11BQ32						G		*
65,00	3,55	11BQ35						G		*
67,00	3,55	11BI95						G		*
69,00	3,55	11BQ38						G		*
71,00	3,55	11BQ41						G		*
73,00	3,55	11BQ44						G		*
75,00	3,55	11BQ47						G		*
77,50	3,55	11BI97						G		*
80,00	3,55	11BQ53						G		*
82,50	3,55	11BQ56						G		*
85,00	3,55	11BI98						G		*
87,50	3,55	11BL00						G		*
90,00	3,55	11BQ62						G		*
92,50	3,55	11BQ65						G		*
95,00	3,55	11BQ68						G		*
97,50	3,55	11BQ71						G		*
100,00	3,55	11BQ74						G		*
103,00	3,55	11BQ77						G		*
106,00	3,55	11BL06						G		*
109,00	3,55	11BL07						G		*
112,00	3,55	11BQ80						G		*
115,00	3,55	11BQ83						G		*
118,00	3,55	11BL09						G		*
122,00	3,55	11BQ86						G		*
125,00	3,55	11BQ89						G		*
128,00	3,55	11BL10						G		*
132,00	3,55	11BL12						G		*
136,00	3,55	11BQ92						G		*
140,00	3,55	11BQ95						G		*
145,00	3,55	11BQ98						G		*
150,00	3,55	11BL13						G		*

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISODIN
155,00	3,55	11BL15						G		*
160,00	3,55	11BL16						G		*
165,00	3,55	11BR01						G		*
170,00	3,55	11BR04						G		*
175,00	3,55	11BR07						G		*
180,00	3,55	11BL18						G		*
185,00	3,55	11BR10						G		*
190,00	3,55	11BR13						G		*
195,00	3,55	11BR16						G		*
200,00	3,55	11BL19						G		*
18,30	3,60	11A466						R15		*
19,80	3,60	11A467						R16		*
21,30	3,60	11A468						R17		*
23,00	3,60	11A469						R18		*
24,60	3,60	11A470						R19		*
26,20	3,60	11A471						R20		*
27,80	3,60	11A472						R21		*
29,30	3,60	11A473						R22		*
30,80	3,60	11A474						R23		*
32,50	3,60	11A475						R24		*
34,10	3,60	11A476						R25		*
35,60	3,60	11A477						R26		*
37,30	3,60	11A478						R27		*
43,40	3,60	11A479						R29t		*
4,00	4,00	11BS02								*
5,00	4,00	11BR48								*
6,00	4,00	11BR50								*
7,00	4,00	11BR51								*
8,00	4,00	11BR49								*
9,00	4,00	11BR52								*
10,00	4,00	11BR55								*
11,00	4,00	11BR58								*
12,00	4,00	11BR61								*
13,00	4,00	11BS04								*
14,00	4,00	11BR64								*
15,00	4,00	11BR67								*
16,00	4,00	11BR70								*
17,00	4,00	11BR73								*
18,00	4,00	11BR76								*
19,00	4,00	11BR79								*
20,00	4,00	11BR82								*
21,00	4,00	11BR85								*
22,00	4,00	11BR88								*
23,00	4,00	11BR91								*
24,00	4,00	11BR94								*