

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
7,00	5,00	11BJ89								
8,00	5,00	11BY04								
9,00	5,00	11BY05								
10,00	5,00	11BJ87								
11,00	5,00	11BY07								
12,00	5,00	11BJ88								
13,00	5,00	11BJ91								
14,00	5,00	11BJ94								
15,00	5,00	11BJ97								
16,00	5,00	11BY00								
17,00	5,00	11BY03								
18,00	5,00	11BY06								
19,00	5,00	11BY09								
20,00	5,00	11BY12								
21,00	5,00	11BY14								
22,00	5,00	11BY15								
23,00	5,00	11BY16								
24,00	5,00	11BY18								
25,00	5,00	11BY21								
26,00	5,00	11BY24								
27,00	5,00	11BY27								
28,00	5,00	11BY30								
29,00	5,00	11BY31								
30,00	5,00	11BY33								
31,00	5,00	11BY37								
32,00	5,00	11BY36								
33,00	5,00	11BY39								
34,00	5,00	11BY40								
35,00	5,00	11BY42								
36,00	5,00	11BY45								
37,00	5,00	11BY48								
38,00	5,00	11BY51								
39,00	5,00	11BY52								
40,00	5,00	11BY54								
41,00	5,00	11BY56								
42,00	5,00	11BY57								
43,00	5,00	11BY60								
44,00	5,00	11BY63								
45,00	5,00	11BY66								
46,00	5,00	11BY69								
47,00	5,00	11BY72								
48,00	5,00	11BY75								
49,00	5,00	11BY77								
50,00	5,00	11BY81								
51,00	5,00	11BY84								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
52,00	5,00	11BY87								
53,00	5,00	11BY90								
54,00	5,00	11BY93								
55,00	5,00	11BY96								
56,00	5,00	11BY97								
57,00	5,00	11BY99								
58,00	5,00	11BK02								
59,00	5,00	11BK04								
60,00	5,00	11BK05								
61,00	5,00	11BK08								
62,00	5,00	11BK11								
63,00	5,00	11BK14								
64,00	5,00	11BK17								
65,00	5,00	11BK20								
66,00	5,00	11BK23								
67,00	5,00	11BK24								
68,00	5,00	11BK26								
69,00	5,00	11BK29								
70,00	5,00	11BK32								
71,00	5,00	11BK33								
72,00	5,00	11BK35								
73,00	5,00	11BK39								
74,00	5,00	11BK38								
75,00	5,00	11BK41								
76,00	5,00	11BK44								
77,00	5,00	11BK45								
78,00	5,00	11BK47								
79,00	5,00	11BK50								
80,00	5,00	11BK53								
81,00	5,00	11BK55								
82,00	5,00	11BK56								
83,00	5,00	11BK57								
84,00	5,00	11BK58								
85,00	5,00	11BK59								
86,00	5,00	11BK62								
87,00	5,00	11BK63								
88,00	5,00	11BK65								
89,00	5,00	11BK66								
90,00	5,00	11BK68								
91,00	5,00	11BK69								
92,00	5,00	11BK71								
93,00	5,00	11BK74								
94,00	5,00	11BK75								
95,00	5,00	11BK77								
96,00	5,00	11BK78								



Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
97,00	5,00	11BK80								
98,00	5,00	11BK81								
99,00	5,00	11BK83								
100,00	5,00	11BK86								
101,00	5,00	11BK87								
102,00	5,00	11BK89								
103,00	5,00	11BK92								
104,00	5,00	11BK95								
105,00	5,00	11BK98								
106,00	5,00	11BK99								
107,00	5,00	11BW01								
108,00	5,00	11BW04								
109,00	5,00	11BW06								
110,00	5,00	11BW07								
111,00	5,00	11BW08								
112,00	5,00	11BW10								
113,00	5,00	11BW11								
114,00	5,00	11BW13								
115,00	5,00	11BW16								
116,00	5,00	11BW17								
117,00	5,00	11BW19								
118,00	5,00	11BW22								
119,00	5,00	11BW23								
120,00	5,00	11A489								
121,00	5,00	11BW24								
122,00	5,00	11BW27								
123,00	5,00	11BW29								
124,00	5,00	11BW30								
125,00	5,00	11A490								
126,00	5,00	11BW31								
127,00	5,00	11BW34								
128,00	5,00	11BW37								
129,00	5,00	11BW38								
130,00	5,00	11A491								
131,00	5,00	11BW41								
132,00	5,00	11BW43								
133,00	5,00	11BW44								
134,00	5,00	11BW45								
135,00	5,00	11A492								
136,00	5,00	11BW49								
137,00	5,00	11BW51								
138,00	5,00	11BW52								
139,00	5,00	11BW54								
140,00	5,00	11A493								
141,00	5,00	11BW57								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NF T 47-501	JIS 2401	ISO/DIN
142,00	5,00	11BW59								
143,00	5,00	11BW60								
144,00	5,00	11BW61								
145,00	5,00	11A494								
146,00	5,00	11BW67								
147,00	5,00	11BW68								
148,00	5,00	11BW70								
149,00	5,00	11BW73								
150,00	5,00	11A495								
151,00	5,00	11BW75								
152,00	5,00	11BW77								
153,00	5,00	11BW78								
154,00	5,00	11BW81								
155,00	5,00	11A496								
156,00	5,00	11BW80								
157,00	5,00	11BW83								
158,00	5,00	11BW82								
159,00	5,00	11BW84								
160,00	5,00	11A497								
161,00	5,00	11BW86								
162,00	5,00	11BW88								
163,00	5,00	11BW91								
164,00	5,00	11BW90								
165,00	5,00	11A498								
166,00	5,00	11BW93								
167,00	5,00	11BW95								
168,00	5,00	11BW96								
169,00	5,00	11BW98								
170,00	5,00	11A499								
171,00	5,00	11BW99								
172,00	5,00	11BX00								
173,00	5,00	11BW92								
174,00	5,00	11BX01								
175,00	5,00	11A500								
176,00	5,00	11BX03								
177,00	5,00	11BX02								
178,00	5,00	11BX04								
179,00	5,00	11BX05								
180,00	5,00	11A501								
181,00	5,00	11BX07								
182,00	5,00	11BX08								
183,00	5,00	11BX09								
184,00	5,00	11BX10								
185,00	5,00	11A502								
186,00	5,00	11BX11								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
187,00	5,00	11BX13								
188,00	5,00	11BX14								
189,00	5,00	11BX16								
190,00	5,00	11A503								
191,00	5,00	11BX19								
192,00	5,00	11BX17								
193,00	5,00	11BX18								
194,00	5,00	11BX20								
195,00	5,00	11A504								
196,00	5,00	11BX26								
197,00	5,00	11BX22								
198,00	5,00	11BX32								
199,00	5,00	11BX34								
200,00	5,00	11A505								
201,00	5,00	11BX23								
202,00	5,00	11BX25								
203,00	5,00	11BX35								
204,00	5,00	11BX43								
205,00	5,00	11A506								
206,00	5,00	11BX44								
207,00	5,00	11BX46								
208,00	5,00	11BX28								
209,00	5,00	11BX29								
210,00	5,00	11A507								
211,00	5,00	11BX49								
212,00	5,00	11BX31								
213,00	5,00	11BX52								
214,00	5,00	11BX53								
215,00	5,00	11A508								
216,00	5,00	11BX56								
217,00	5,00	11BX36								
218,00	5,00	11BX37								
219,00	5,00	11BX58								
220,00	5,00	11A509								
221,00	5,00	11BX38								
222,00	5,00	11BX40								
223,00	5,00	11BX41								
224,00	5,00	11BX59								
225,00	5,00	11A510								
226,00	5,00	11BX61								
227,00	5,00	11BX62								
228,00	5,00	11BX64								
229,00	5,00	11BX68								
230,00	5,00	11A511								
231,00	5,00	11BX70								

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
232,00	5,00	11BX47								
233,00	5,00	11BX79								
234,00	5,00	11BX82								
235,00	5,00	11A512								
236,00	5,00	11BX83								
237,00	5,00	11BX85								
238,00	5,00	11BX50								
239,00	5,00	11BX86								
240,00	5,00	11A513								
241,00	5,00	11BX54								
242,00	5,00	11BX55								
243,00	5,00	11BX88								
244,00	5,00	11BX94								
245,00	5,00	11A514								
246,00	5,00	11BX98								
247,00	5,00	11B00A								
248,00	5,00	11B01A								
249,00	5,00	11B03A								
250,00	5,00	11A515								
255,00	5,00	11A516								
260,00	5,00	11A517								
265,00	5,00	11A518								
270,00	5,00	11A519								
275,00	5,00	11A520								
280,00	5,00	11A521								
285,00	5,00	11A522								
290,00	5,00	11A523								
295,00	5,00	11A524								
300,00	5,00	11A525								
305,00	5,00	11BX87								
310,00	5,00	11BX90								
315,00	5,00	11BX93								
320,00	5,00	11B81A								
325,00	5,00	11BX97								
330,00	5,00	11BX99								
335,00	5,00	11B99A								
340,00	5,00	11B02A								
345,00	5,00	11B05A								
350,00	5,00	11B07A								
355,00	5,00	11B21B								
360,00	5,00	11B27B								
365,00	5,00	11B15A								
370,00	5,00	11B16A								
375,00	5,00	11B47B								
380,00	5,00	11B17A								



Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
385,00	5,00	11B19A								
390,00	5,00	11B66B								
395,00	5,00	11B72B								
400,00	5,00	11B78B								
40,00	5,30	11B50A						G	*	
41,20	5,30	11B80B						G	*	
41,40	5,30	11B43C					R29b			
42,50	5,30	11B81B					G		*	
43,70	5,30	11B56A					G		*	
45,00	5,30	11B83B					G		*	
46,20	5,30	11B84B					G		*	
47,50	5,30	11B62A					G		*	
48,70	5,30	11B86B					G		*	
50,00	5,30	11B65A					G		*	
51,50	5,30	11B87B					G		*	
53,00	5,30	11B68A					G		*	
54,40	5,30	11A527					R33b		*	
54,50	5,30	11B89B					G		*	
56,00	5,30	11B71A					G		*	
58,00	5,30	11B82A					G		*	
60,00	5,30	11B86A					G		*	
61,50	5,30	11B90B					G		*	
63,00	5,30	11B89A					G		*	
65,00	5,30	11B92A					G		*	
67,00	5,30	11B92B					G		*	
69,00	5,30	11B98A					G		*	
71,00	5,30	11B93B					G		*	
73,00	5,30	11B04B					G		*	
75,00	5,30	11B07B					G		*	
77,50	5,30	11B95B					G		*	
80,00	5,30	11B13B					G		*	
82,50	5,30	11B19B					G		*	
85,00	5,30	11B25B					G		*	
87,50	5,30	11B96B					G		*	
90,00	5,30	11B28B					G		*	
92,50	5,30	11B99B					G		*	
95,00	5,30	11B31B					G		*	
97,50	5,30	11B01C					G		*	
100,00	5,30	11B34B					G		*	
103,00	5,30	11B02C					G		*	
106,00	5,30	11B04C					G		*	
109,00	5,30	11B37B					G		*	
112,00	5,30	11B05C					G		*	
115,00	5,30	11B07C					G		*	
118,00	5,30	11B08C					G		*	

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCHR NFT 47-501	JIS 2401	ISO/DIN
122,00	5,30	11B10C						G	*	
125,00	5,30	11B11C						G	*	
128,00	5,30	11B13C						G	*	
132,00	5,30	11B14C						G	*	
136,00	5,30	11B52B						G	*	
140,00	5,30	11B16C						G	*	
145,00	5,30	11B55B						G	*	
150,00	5,30	11B58B						G	*	
155,00	5,30	11B17C						G	*	
160,00	5,30	11B19C						G	*	
165,00	5,30	11B20C						G	*	
170,00	5,30	11B64B						G	*	
175,00	5,30	11B23C						G	*	
180,00	5,30	11B25C						G	*	
185,00	5,30	11B26C						G	*	
190,00	5,30	11B28C						G	*	
195,00	5,30	11B73B						G	*	
200,00	5,30	11B29C						G	*	
10,46	5,33	11A528	6042	'309						
12,07	5,33	11A529	6050	'310						
13,64	5,33	11A530	6055	'311						
15,24	5,33	11A531	6060	'312						
16,81	5,33	11A532	6065	'313						
18,42	5,33	11A533	6075	'314						
19,99	5,33	11A534	6080	'315						
21,59	5,33	11A535	6085	'316						
23,16	5,33	11A536	6090	'317						
24,77	5,33	11A537	6100	'318						
26,34	5,33	11A538	6105	'319						
27,94	5,33	11A539	6110	'320						
29,51	5,33	11A540	6115	'321						
31,12	5,33	11A541	6125	'322						
32,69	5,33	11A542	6130	'323						
34,29	5,33	11A543	6135	'324						
37,47	5,33	11A544	6150	'325				R28		
40,64	5,33	11A545	6162	'326				R29		
43,82	5,33	11A546	6175	'327				R30		
46,99	5,33	11A547	6187	'328				R31		
50,17	5,33	11A548	6200	'329				R32		
53,34	5,33	11A549	6212	'330				R33		
56,52	5,33	11A550	6225	'331				R34		
59,69	5,33	11A551	6237	'332				R35		
62,87	5,33	11A552	6250	'333				R36		
66,04	5,33	11A553	6262	'334				R37		
69,22	5,33	11A554	6275	'335				R38		

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCH NF T 47-501	JIS 2401	ISO/DIN
72,39	5,33	11A555	6287	'336				R39		
74,63	5,33	11A556	178		619					
75,57	5,33	11A557	6300	'337				R40		
78,74	5,33	11A558	6312	'338				R41		
79,73	5,33	11A559	181		620					
81,92	5,33	11A560	6325	'3'a				R42		
85,09	5,33	11A561	6337	'340				R43		
88,27	5,33	11A562	6350	'341				R44		
89,69	5,33	11A563	185		621					
91,44	5,33	11A564	6362	'342				R45		
94,62	5,33	11A565	6375	'343				R46		
97,79	5,33	11A566	6387	'344				R47		
100,00	5,33	11A567	189		622					
100,97	5,33	11A568	6400	'345				R48		
104,14	5,33	11A569	6412	'346				R49		
107,32	5,33	11A570	6425	'347				R50		
109,54	5,33	11A571	193		623					
110,49	5,33	11A572	6437	'348				R51		
113,67	5,33	11A573	6450	'349				R52		
116,84	5,33	11A574		'350						
117,48	5,33	11A575	197		860					
120,02	5,33	11A576		'351						
120,65	5,33	11A577	201		861					
123,19	5,33	11A578		'352						
123,83	5,33	11A579	203		862					
126,37	5,33	11A580		'353						
127,00	5,33	11A581	206		863					
129,54	5,33	11A582		'354						
130,18	5,33	11A583	208		864					
132,72	5,33	11A584		'355						
133,35	5,33	11A585	210		865					
135,89	5,33	11A586		'356						
136,53	5,33	11A587	213		866					
139,07	5,33	11A588		'357						
139,70	5,33	11A589	215		867					
142,24	5,33	11A590		'358						
142,88	5,33	11A591	217		868					
145,42	5,33	11A592		'359						
146,05	5,33	11A593	219		869					
148,59	5,33	11A594		'360						
149,23	5,33	11A595	221		870					
151,77	5,33	11A596	6600	'361						
155,00	5,33	11B49C			644					
158,12	5,33	11A597	6625	'362						
161,30	5,33	11B506			645					

Diametro interno I.D. (mm)	Sezione corda C.S. (mm)	Codice GAPI Code	ITALIA	AS 568A	BS 1806	BS 4518	SMS 1588	FRENCH NF T 47-501	JIS 2401	ISO/DIN
164,47	5,33	11A598	6645	'363						
167,70	5,33	11B52C			646					
170,82	5,33	11A599	6670	'364						
174,00	5,33	11B53C			647					
177,17	5,33	11A600	6700	'365						
183,52	5,33	11A601	6720	'366						
189,87	5,33	11A602	6745	'367						
196,22	5,33	11A603	6775	'368						
202,57	5,33	11A604	6795	'369						
208,92	5,33	11A605	6820	'370						
215,27	5,33	11A606	6850	'371						
221,62	5,33	11A607	6870	'372						
227,97	5,33	11A608	6895	'373						
234,32	5,33	11A609	6920	'374						
240,67	5,33	11A610	6945	'375						
247,02	5,33	11A611	6975	'376						
253,37	5,33	11A612	6995	'377						
266,07	5,33	11A613	61050	'378						
278,77	5,33	11A614	61100	'379						
291,47	5,33	11A615	61150	'380						
304,17	5,33	11A616	61200	'381						
329,57	5,33	11A617	61300	'382						
354,97	5,33	11A618	61400	'383						
380,37	5,33	11A619	61500	'384						
405,26	5,33	11A620	61600	'385						
430,66	5,33	11A621	61700	'386						
456,06	5,33	11A622	61800	'387						
481,41	5,33	11A623	61900	'388						
506,81	5,33	11A624	62000	'389						
532,21	5,33	11A625	62100	'390						
557,61	5,33	11A626	62200	'391						
582,68	5,33	11A627	62300	'392						
608,08	5,33	11A628	62400	'393						
633,48	5,33	11A629	62500	'394						
658,88	5,33	11A630	62600	'395						
35,20	5,70	11B27E								*
36,20	5,70	11B29E								*
37,20	5,70	11B30E								*
39,20	5,70	11B32E								*
41,20	5,70	11B33E								*
44,20	5,70	11A631								*
44,30	5,70	11A632								*
45,30	5,70	11A633								*
47,30	5,70	11B35E								*
47,60	5,70	11B38E								*

P48A