





# O-RING KIT

TYPE NO.	ITEMS/Q'TY	STANDARD	Q'TY	MATERIAL	PRICE
EK-18225AS	18/225 PCS.	AS568	1	NBR 70	
EK-18225C82	18/225 PCS.	ISO3601	1	NBR 70	
EK-18225MM	18/225 PCS.	METRIC	1	NBR 70	
EK-20210C82	20/210 PCS.	ISO3601	1	NBR 70	
EK-20212A9	20/212 PCS.	AS568	1	NBR 90	
EK-30382AS	30/382 PCS.	AS568	1	NBR 70	
EK-30372C82	30/372 PCS.	ISO3601	1	NBR 70	
EK-30386MM	30/386 PCS.	METRIC	1	NBR 70	
EK-30391PG	30/391 PCS.	JISB2401	1	NBR 70	
EK-32390C82	32/390 PCS.	ISO3601	1	NBR 70	
EK-32407AS	32/407 PCS.	AS568	1	NBR 70	
EK-32426MM	32/426 PCS.	METRIC	1	NBR 70	



KIT B=  
 EK-20212A9  
 EK-20210C82



KIT D=  
 EK-18225AS  
 EK-18225MM  
 EK-18225C82



KIT C=  
 EK-30382AS  
 EK-30391PG  
 EK-30386MM  
 EK-30372C82



KIT E=  
 EK-32407AS  
 EK-32426MM  
 EK-32390C82



# O-RING KIT

18 MOST POPULAR  
SIZES

# O-RING KIT

EK-18225AS

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

AS568A Dash NO.	Actral Size (inch)	Nominal(size)			Quantity in kit	AS568A Dash NO	Actral Size (inch)	Nominal(size)			Quantity in kit
		I/D	O/D	Sectirn				I/D	O/D	Sectirn	
006	0.114 × .070	1/8	1/4	1/16	20	110	0.362 × .103	3/8	9/16	3/32	10
007	0.145 × .070	5/32	7/32	1/16	20	111	0.424 × .103	7/16	5/8	3/32	10
008	0.176 × .070	3/16	5/16	1/16	20	112	0.487 × .103	1/2	11/16	3/32	10
009	0.208 × .070	7/32	11/32	1/16	15	113	0.549 × .103	9/16	3/4	3/32	10
010	0.239 × .070	1/4	3/8	1/16	15	114	0.612 × .103	5/8	13/16	3/32	10
011	0.301 × .070	5/16	7/16	1/16	15	115	0.674 × .103	11/16	7/8	3/32	10
012	0.364 × .070	3/8	1/2	1/16	15	116	0.737 × .103	3/4	15/16	3/32	10
014	0.489 × .070	1/2	5/8	1/16	15	210	0.734 × .139	3/4	1	1/8	10
016	0.614 × .070	5/8	3/4	1/16	15	211	0.796 × .139	13/16	1-1/1	1/8	10

TYPE NO. : EK-18225AS  
MATERIAL : NBR 70 DURO  
PLASTIC BOX : D

Q'TY : 18 SIZES / 225 PCS.  
VOLUME : 211 × 127 × 35(mm)  
WEIGHT : 226g

18 MOST POPULAR  
SIZES

# O-RING KIT

EK-18225C82

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

Size (mm)	On kit position	Dimension(mm)			Quantity in kit	Size (mm)	On kit position	Dimension(mm)			Quantity in kit
		I/D	O/D	Section				I/D	O/D	Section	
2.80 × 1.8	01	2.80	6.4	1.8	20	10.00 × 2.65	10	10.00	15.30	2.65	10
3.75 × 1.8	02	3.75	7.35	1.8	20	10.60 × 2.65	11	10.60	15.90	2.65	10
4.50 × 1.8	03	4.50	8.10	1.8	20	12.50 × 2.65	12	12.50	17.80	2.65	10
5.30 × 1.8	04	5.30	8.90	1.8	15	14.00 × 2.65	13	14.00	19.30	2.65	10
6.00 × 1.8	05	6.00	9.60	1.8	15	16.00 × 2.65	14	16.00	21.30	2.65	10
7.50 × 1.8	06	7.50	11.10	1.8	15	17.00 × 2.65	15	17.00	22.30	2.65	10
9.50 × 1.8	07	9.50	13.10	1.8	10	19.00 × 2.65	16	19.00	24.30	2.65	10
12.50 × 1.8	08	12.50	16.10	1.8	10	19.00 × 3.55	17	19.00	26.10	3.55	10
16.00 × 1.8	09	16.00	19.60	1.8	10	20.00 × 3.55	18	19.00	27.10	3.55	10

TYPE NO. : EK-18225C82  
MATERIAL : NBR 70 DURO  
PLASTIC BOX : D

Q'TY : 18 SIZES / 225 PCS.  
VOLUME : 211 × 127 × 35(mm)  
WEIGHT : 200g



# O-RING KIT

18 MOST POPULAR  
SIZES

# O-RING KIT

EK-18225AS

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

AS568A Dash NO.	Actral Size (inch)	Nominal(size)			Quantity in kit	AS568A Dash NO	Actral Size (inch)	Nominal(size)			Quantity in kit
		I/D	O/D	Section				I/D	O/D	Section	
006	0.114 × .070	1/8	1/4	1/16	20	110	0.362 × .103	3/8	9/16	3/32	10
007	0.145 × .070	5/32	7/32	1/16	20	111	0.424 × .103	7/16	5/8	3/32	10
008	0.176 × .070	3/16	5/16	1/16	20	112	0.487 × .103	1/2	11/16	3/32	10
009	0.208 × .070	7/32	11/32	1/16	15	113	0.549 × .103	9/16	3/4	3/32	10
010	0.239 × .070	1/4	3/8	1/16	15	114	0.612 × .103	5/8	13/16	3/32	10
011	0.301 × .070	5/16	7/16	1/16	15	115	0.674 × .103	11/16	7/8	3/32	10
012	0.364 × .070	3/8	1/2	1/16	15	116	0.737 × .103	3/4	15/16	3/32	10
014	0.489 × .070	1/2	5/8	1/16	15	210	0.734 × .139	3/4	1	1/8	10
016	0.614 × .070	5/8	3/4	1/16	15	211	0.796 × .139	13/16	1-1/1	1/8	10

TYPE NO. : EK-18225AS  
MATERIAL : NBR 70 DURO  
PLASTIC BOX : D

Q'TY : 18 SIZES / 225 PCS.  
VOLUME : 211 × 127 × 35(mm)  
WEIGHT : 226g

18 MOST POPULAR  
SIZES

# O-RING KIT

EK-18225C82

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

Size (mm)	On kit position	Dimension(mm)			Quantity in kit	Size (mm)	On kit position	Dimension(mm)			Quantity in kit
		I/D	O/D	Section				I/D	O/D	Section	
2.80 × 1.8	01	2.80	6.4	1.8	20	10.00 × 2.65	10	10.00	15.30	2.65	10
3.75 × 1.8	02	3.75	7.35	1.8	20	10.60 × 2.65	11	10.60	15.90	2.65	10
4.50 × 1.8	03	4.50	8.10	1.8	20	12.50 × 2.65	12	12.50	17.80	2.65	10
5.30 × 1.8	04	5.30	8.90	1.8	15	14.00 × 2.65	13	14.00	19.30	2.65	10
6.00 × 1.8	05	6.00	9.60	1.8	15	16.00 × 2.65	14	16.00	21.30	2.65	10
7.50 × 1.8	06	7.50	11.10	1.8	15	17.00 × 2.65	15	17.00	22.30	2.65	10
9.50 × 1.8	07	9.50	13.10	1.8	10	19.00 × 2.65	16	19.00	24.30	2.65	10
12.50 × 1.8	08	12.50	16.10	1.8	10	19.00 × 3.55	17	19.00	26.10	3.55	10
16.00 × 1.8	09	16.00	19.60	1.8	10	20.00 × 3.55	18	19.00	27.10	3.55	10

TYPE NO. : EK-18225C82  
MATERIAL : NBR 70 DURO  
PLASTIC BOX : D

Q'TY : 18 SIZES / 225 PCS.  
VOLUME : 211 × 127 × 35(mm)  
WEIGHT : 200g



# O-RING KIT

20 MOST POPULAR SIZES.

## O-RING KIT

EK-20212A9

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 90 DURO SHORE A  
ASTM D2000 2BG 910 A14 B14 EA14 EO14 EO34 EF11 EF21

AS568A dash No.	TUBE O.D. (Ref inch)	Actual Size perAS568(mm)				Actual Size perAS568(mm)				Quantity in kit
		I/D	±	Cross Section	±	I/D	±	Cross Section	±	
901	3/32	4.70	.13	1.42	.08	0.185	.005	.056	.003	10
902	1/8	6.07	.13	1.63	.08	0.239	.005	.064	.003	10
903	3/16	7.65	.13	1.63	.08	0.301	.005	.064	.003	10
904	1/4	8.92	.13	1.83	.08	0.351	.005	.072	.003	10
905	5/16	10.52	.13	1.83	.08	0.414	.005	.072	.003	12
906	3/8	11.89	.13	1.98	.08	0.468	.005	.078	.003	12
907	7/16	13.46	.18	2.08	.08	0.530	.007	.082	.003	12
908	1/2	16.36	.23	2.21	.08	0.644	.009	.087	.003	12
909	9/16	17.93	.23	2.46	.08	0.706	.009	.097	.003	12
910	5/8	19.18	.23	2.46	.08	0.755	.009	.097	.003	12
911	11/16	21.92	.23	2.95	.10	0.863	.009	.116	.004	10
912	3/4	23.47	.23	2.95	.10	0.924	.009	.116	.004	10
913	13/16	25.04	.26	2.95	.10	0.986	.010	.116	.004	10
914	7/8	26.59	.26	2.95	.10	1.047	.010	.116	.004	10
916	1	29.74	.26	2.95	.10	1.171	.010	.116	.004	10
918	1-1/8	34.42	.30	2.95	.10	1.355	.012	.116	.004	10
920	1-1/4	37.47	.36	3.00	.10	1.475	.014	.118	.004	10
924	1-1/2	43.69	.36	3.00	.10	1.720	.014	.118	.004	10
928	1-3/4	53.09	.46	3.00	.10	2.090	.018	.118	.004	10
932	2	59.36	.46	3.00	.10	2.337	.018	.118	.004	10

TYPE NO. : EK-20212A9  
MATERIAL : NBR 90 DURO  
PLASTIC BOX : B

Q'TY : 20 SIZES / 212 PCS.  
VOLUME : 246 × 165 × 41(mm)  
WEIGHT : 500g

30 MOST POPULAR SIZES

## O-RING KIT

EK-30382AS

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

AS568A Dash No.	Actual size (inch)	Nominal size (inch)			Quantity in kit	AS568A Dash No.	Actual size (inch)	Nominal size (inch)			Quantity in kit
		I/D	O/D	Section				I/D	O/D	Section	
006	0.114 × .070	1/8	1/4	1/16	20	211	0.796 × .139	13/16	1-1/16	1/8	10
007	0.145 × .070	5/32	9/32	1/16	20	212	0.859 × .139	7/8	1-1/8	1/8	10
008	0.176 × .070	3/16	5/16	1/16	20	213	0.921 × .139	15/16	1-3/16	1/8	10
009	0.208 × .070	7/32	11/32	1/16	20	214	0.984 × .139	1	1-1/4	1/8	10
010	0.239 × .070	1/4	3/8	1/16	20	215	1.046 × .139	1-1/16	1-5/16	1/8	10
011	0.301 × .070	5/16	7/16	1/16	20	216	1.109 × .139	1-1/8	1-3/8	1/8	10
012	0.364 × .070	3/8	1/2	1/16	20	217	1.171 × .139	1-3/16	1-7/16	1/8	10
110	0.362 × .103	3/8	9/16	3/32	13	218	1.234 × .139	1-1/4	1-1/2	1/8	10
111	0.424 × .103	7/16	5/8	3/32	13	219	1.296 × .139	1-5/16	1-9/16	1/8	10
112	0.487 × .103	1/2	11/16	3/32	13	220	1.359 × .139	1-3/8	1-5/8	1/8	10
113	0.549 × .103	9/16	3/4	3/32	13	221	1.421 × .139	1-7/16	1-11/16	1/8	10
114	0.612 × .103	5/8	13/16	3/32	13	222	1.484 × .139	1-1/2	1-3/4	1/8	10
115	0.674 × .103	11/16	7/8	3/32	13	325	1.475 × .210	1-1/12	1-7/8	3/16	7
116	0.737 × .103	3/4	15/16	3/32	13	326	1.600 × .210	1-5/8	2	3/16	7
210	0.734 × .139	3/4	1	1/8	10	327	1.725 × .210	1-3/4	2-1/8	3/16	7

TYPE NO. : EK-30382AS  
MATERIAL : NBR 70 DURO  
PLASTIC BOX : C

Q'TY : 30 SIZES / 382 PCS.  
VOLUME : 259 × 191 × 51(mm)  
WEIGHT : 790g



# O-RING KIT

30 MOST POPULAR  
SIZES

# O-RING KIT

EK-30386MM

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

SIZE (mm)	On Kit Position	Dimension(mm)			Quantity in kit	SIZE (mm)	On Kit Position	Dimension(mm)			Quantity in kit
		I/D	O/D	C/S				I/D	O/D	C/S	
3 × 2.0	006	3	7	2.0	16	20 × 3.0	211	20	26	3	12
4 × 2.0	007	4	8	2.0	16	22 × 3.0	212	22	28	3	12
5 × 2.0	008	5	9	2.0	16	24 × 3.0	213	24	30	3	12
6 × 2.0	009	6	10	2.0	16	25 × 3.0	214	25	31	3	12
7 × 2.0	010	7	11	2.0	16	27 × 3.0	215	27	33	3	12
8 × 2.0	011	8	12	2.0	16	28 × 3.0	216	28	34	3	12
10 × 2.0	012	10	14	2.0	16	30 × 3.0	217	30	36	3	12
10 × 2.5	110	10	15	2.5	13	32 × 3.0	218	32	38	3	12
11 × 2.5	111	11	16	2.5	13	33 × 3.0	219	33	39	3	12
12 × 2.5	112	12	17	2.5	13	35 × 3.0	220	35	41	3	12
14 × 2.5	113	14	19	2.5	13	36 × 3.0	221	36	42	3	12
16 × 2.5	114	16	21	2.5	13	38 × 3.0	222	38	44	3	12
17 × 2.5	115	17	22	2.5	13	38 × 4.0	325	38	46	4	9
19 × 2.5	116	19	24	2.5	13	41 × 4.0	326	41	49	4	9
19 × 3.0	210	19	25	3.0	12	44 × 4.0	327	44	52	4	9

TYPE NO. : EK-30386MM

Q'TY : 30 SIZES / 386 PCS.

MATERIAL : NBR 70 DURO

VOLUME : 259 × 191 × 51(mm)

PLASTIC BOX : C

WEIGHT : 722g

30 MOST POPULAR  
SIZES

# O-RING KIT

EK-30372C82

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

SIZE (mm)	On Kit Position	Dimension(mm)			Quantity in kit	SIZE (mm)	On Kit Position	Dimension(mm)			Quantity in kit
		I/D	C/S	O/D				I/D	C/S	O/D	
3.15 × 1.30	006	3.15	1.80	6.75	18	20.00 × 3.55	211	20.00	3.55	27.10	10
3.75 × 1.80	007	3.75	1.80	7.35	18	21.20 × 3.55	212	21.20	3.55	28.30	10
4.50 × 1.80	008	4.50	1.80	8.10	18	22.40 × 3.55	213	22.40	3.55	29.50	10
5.30 × 1.80	009	5.30	1.80	8.90	18	25.00 × 3.55	214	25.00	3.55	32.10	10
6.00 × 1.80	010	6.00	1.80	9.60	18	26.50 × 3.55	215	26.50	3.55	33.60	10
7.50 × 1.80	011	7.50	1.80	11.10	18	28.00 × 3.55	216	28.00	3.55	35.10	10
9.50 × 1.80	012	9.50	1.80	13.10	18	30.00 × 3.55	217	30.00	3.55	37.10	10
10.00 × 2.65	110	10.00	2.65	15.30	12	31.50 × 3.55	218	31.50	3.55	38.60	10
11.20 × 2.65	111	11.20	2.65	16.50	12	32.50 × 3.55	219	32.50	3.55	39.60	10
13.20 × 2.65	112	13.20	2.65	18.50	12	34.50 × 3.55	220	34.50	3.55	41.60	10
14.00 × 2.65	113	14.00	2.65	19.30	12	35.50 × 3.55	221	35.50	3.55	42.60	10
16.00 × 2.65	114	16.00	2.65	21.30	12	37.50 × 3.55	222	37.50	3.55	44.60	10
17.00 × 2.65	115	17.00	2.65	22.30	12	40.00 × 3.55	325	40.00	3.55	47.10	10
19.00 × 2.65	116	19.00	2.65	24.30	12	43.70 × 3.55	326	43.70	3.55	50.80	10
20.00 × 2.65	210	20.00	2.65	25.30	12	46.20 × 3.55	327	46.20	3.55	53.30	10

TYPE NO. : EK-30372C82

Q'TY : 30 SIZES / 372 PCS.

MATERIAL : NBR 70 DURO

VOLUME : 259 × 191 × 51(mm)

PLASTIC BOX : C

WEIGHT : 722g



# O-RING KIT

JIS B2401 P.G. SIZE

## O-RING KIT

EK-30391PG

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

JIS 2401 Dash No.	On Kit Position	Dimension(mm)			Quantity in kit	JIS 2401 Dash No.	On Kit Position	Dimension(mm)			Quantity in kit
		I/D	O/D	Section				I/D	O/D	Section	
P3	006	2.8	6.6	1.9	18	P22	211	22.00	28.00	3.0	11
P4	007	3.8	7.6	1.9	18	P22.4	212	22.10	29.10	3.5	10
P5	008	4.8	8.6	1.9	18	G25	213	24.40	30.60	3.1	11
P6	009	5.8	9.6	1.9	18	P25	214	24.70	31.70	3.5	10
P7	010	6.8	10.6	1.9	18	P26	215	25.70	32.70	3.5	10
P8	011	7.8	11.6	1.9	18	G30	216	29.40	35.60	3.1	11
P9	012	8.8	12.6	1.9	18	P30	217	29.70	36.70	3.5	10
P10A	110	9.8	14.6	2.4	14	P32	218	31.70	38.70	3.5	10
P11	111	10.8	15.6	2.4	14	P34	219	33.70	40.70	3.5	10
P12	112	11.8	16.6	2.4	14	G35	220	34.40	40.60	3.1	11
P14	113	13.8	18.6	2.4	14	P36	221	35.70	42.70	3.5	10
P16	114	15.8	20.6	2.4	14	G40	222	39.40	45.60	3.1	11
P18	115	17.8	22.6	2.4	14	P40	325	39.70	46.70	3.5	10
P20	116	19.8	24.6	2.4	14	G45	326	44.40	50.60	3.1	11
P21	210	20.8	25.6	2.4	11	P48	327	47.70	54.70	3.5	10

TYPE NO. : EK-30391PG

Q'TY : 30 SIZES / 391 PCS.

MATERIAL : NBR 70 DURO

VOLUME : 259 × 191 × 51(mm)

PLASTIC BOX : C

WEIGHT : 723g

32 MOST POPULAR SIZES

## O-RING KIT

EK-32390C82

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

SIZE (mm)	On Kit Position	Dimension(mm)			Quantity in kit	SIZE (mm)	On Kit Position	Dimension(mm)			Quantity in kit
		I/D	C/S	O/D				I/D	C/S	O/D	
2.80 × 1.80	01	2.80	1.80	6.40	20	20.00 × 3.55	17	20.00	3.55	27.10	10
4.50 × 1.80	02	4.50	1.80	8.10	20	21.20 × 3.55	18	21.20	3.55	28.30	10
6.00 × 1.80	03	6.00	1.80	9.60	18	22.40 × 3.55	19	22.40	3.55	29.50	10
7.50 × 1.80	04	7.50	1.80	11.10	18	25.00 × 3.55	20	25.00	3.55	32.10	10
9.50 × 1.80	05	9.50	1.80	13.10	18	26.50 × 3.55	21	26.50	3.55	33.60	10
12.50 × 1.80	06	12.50	1.80	16.10	18	28.00 × 3.55	22	28.00	3.55	35.10	10
10.00 × 2.65	07	10.00	1.80	15.30	12	30.00 × 3.55	23	30.00	3.55	37.10	10
11.20 × 2.65	08	11.20	2.65	16.50	12	31.50 × 3.55	24	31.50	3.55	38.60	10
13.20 × 2.65	09	13.20	2.65	18.50	12	32.50 × 3.55	25	32.50	3.55	39.60	10
14.00 × 2.65	10	14.00	2.65	19.30	12	34.50 × 3.55	26	34.50	3.55	41.60	10
16.00 × 2.65	11	16.00	2.65	21.30	12	35.50 × 3.55	27	35.50	3.55	42.60	10
17.00 × 2.65	12	17.00	2.65	22.30	12	37.50 × 3.55	28	37.50	3.55	44.60	10
19.00 × 2.65	13	19.00	2.65	24.30	12	40.00 × 3.55	29	40.00	3.55	47.10	10
20.00 × 2.65	14	20.00	2.65	25.30	12	43.70 × 3.55	30	43.70	3.55	50.80	10
22.40 × 2.65	15	22.40	2.65	27.70	12	45.00 × 3.55	31	45.00	3.55	52.10	10
18.00 × 3.55	16	18.00	3.55	25.10	10	50.00 × 3.55	32	50.00	3.55	57.10	10

TYPE NO. : EK-32390C82

Q'TY : 32 SIZES / 390 PCS.

MATERIAL : NBR 70 DURO

VOLUME : 279 × 178 × 48(mm)

PLASTIC BOX : E

WEIGHT : 790g



# O-RING KIT

32 MOST POPULAR  
SIZE

# O-RING KIT

EK-32407AS

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

AS568A Dash No.	On Kit Position	Nominal Size(inch)			Quantity in kit	AS568A Dash No	On Kit Position	Nominal Size(inch)			Quantity in kit
		I/D	O/D	Section				I/D	O/D	Section	
006	01	1/8	1/4	1/16	20	211	17	13/16	1-1/16	1/8	10
008	02	3/16	5/16	1/16	20	212	18	7/8	1-1/18	1/8	10
010	03	1/4	3/8	1/16	20	213	19	15/16	1-3/16	1/8	10
011	04	5/16	7/16	1/16	20	214	20	1	1-1/4	1/8	10
012	05	3/8	1/2	1/16	20	215	21	1-1/16	1-5/16	1/8	10
014	06	1/2	5/8	1/16	20	216	22	1-1/8	1-3/8	1/8	10
110	07	3/8	9/16	3/32	13	217	23	1-3/16	1-7/16	1/8	10
111	08	7/16	5/8	3/32	13	218	24	1-1/4	1-1/2	1/8	10
112	09	1/2	11/16	3/32	13	219	25	1-5/16	1-9/16	1/8	10
113	10	9/16	3/4	3/32	13	220	26	1-3/8	1-5/8	1/8	10
114	11	5/8	13/16	3/32	13	221	27	1-7/16	1-11/16	1/8	10
115	12	11/16	7/8	3/32	13	222	28	1-1/2	1-3/4	1/8	10
116	13	3/4	15/16	3/32	13	223	29	1-5/8	1-7/8	1/8	10
117	14	13/16	1	3/32	13	224	30	1-3/4	2	1/8	10
118	15	7/8	1-1/16	3/32	13	225	31	1-7/8	2-1/8	1/8	10
210	16	3/4	1	1/8	10	226	32	2	2-1/4	1/8	10

TYPE NO. : EK-32407AS  
MATERIAL : NBR 70 DURO  
PLASTIC BOX : E

Q'TY : 32 SIZES / 407 PCS.  
VOLUME : 279 × 178 × 48(mm)  
WEIGHT : 806g

32 MOST POPULAR  
SIZES

# O-RING KIT

EK-32426MM

PROFESSIONAL QUALITY WITH MATERIAL NITRILE 70 DURO SHORE A  
ASTM D2000 2BG 714 A14 B14 EA14 EO14 EO34 EF11 EF21

SIZE (mm)	On Kit Position	Dimension(mm)			Quantity in kit	SIZE (mm)	On Kit Position	Dimension(mm)			Quantity in kit
		I/D	O/D	C/S				I/D	O/D	C/S	
3 × 2.0	01	3	7	2.0	16	20 × 3.0	17	20	26	3.0	12
5 × 2.0	02	5	9	2.0	16	22 × 3.0	18	22	28	3.0	12
7 × 2.0	03	7	11	2.0	16	24 × 3.0	19	24	30	3.0	12
8 × 2.0	04	8	12	2.0	16	25 × 3.0	20	25	31	3.0	12
10 × 2.0	05	10	14	2.0	16	27 × 3.0	21	27	33	3.0	12
12 × 2.0	06	12	16	2.0	16	28 × 3.0	22	28	34	3.0	12
10 × 2.5	07	10	15	2.5	14	30 × 3.0	23	30	36	3.0	12
11 × 2.5	08	11	16	2.5	14	32 × 3.0	24	32	38	3.0	12
12 × 2.5	09	12	17	2.5	14	33 × 3.0	25	33	39	3.0	12
14 × 2.5	10	14	19	2.5	14	35 × 3.0	26	35	41	3.0	12
16 × 2.5	11	16	21	2.5	14	36 × 3.0	27	36	42	3.0	12
17 × 2.5	12	17	22	2.5	14	38 × 3.0	28	38	44	3.0	12
19 × 2.5	13	19	24	2.5	14	41 × 3.0	29	41	47	3.0	12
20 × 2.5	14	20	25	2.5	14	45 × 3.0	30	45	51	3.0	12
22 × 2.5	15	22	27	2.5	14	48 × 3.0	31	48	54	3.0	12
19 × 3.0	16	19	25	3.0	12	51 × 3.0	32	51	57	3.0	12

TYPE NO. : EK-32426MM  
MATERIAL : NBR 70 DURO  
PLASTIC BOX : E

Q'TY : 32 SIZES / 426 PCS.  
VOLUME : 279 × 178 × 48(mm)  
WEIGHT : 762g